



प्रसार भारती/ PRASAR BHARATI

भारत का लोक सेवा प्रसारक/ INDIA'S NATIONAL PUBLIC SERVICE BROADCASTER आकाशवाणी महानिदेशालय/DIRECTORATE GENERAL: ALL INDIA RADIO योजना और विकास एकक आकाशवाणी भवन, संसद मार्ग, नई दिल्ली-110001 P & D UNIT, AKASHVANI BHAWAN, SANSAD MARG, NEW DELHI-110001 (क्रय अनुभाग/PURCHASE SECTION)

No. 01(53)11/NIT-36/2020-D(P)E/ 2 J96

Dated: 13.07.2020

Notice inviting e-Tender No.36/2020

E-tenders are invited for and on behalf of Director General, All India Radio under two bid systems for Supply/SITC/SETC of the following Equipments from firms registered with GeM/NSIC and from reputed Indian manufacturers/authorized agents and stockiest dealing with the equipments as detailed below:

SI. No.	Tender Ref. no.	Description of Stores	Qty.	Estimated Cost of work/ Procurement (Rs. in Lakh)	EMD (Rs. In Lakh)	Tender Submission Date/Time (online)	Tender Opening Date/Time (Online)
1	INCOMES TO SECURE AND ADDRESS OF THE PARTY O	Supply of 6 Bay Circularly Polarized Side Mount (Pole type) VHF FM Antenna with Omni-Directional/ Directional Patterns.	(12) Places	232.26	4.65	02.09.2020 (02:30 PM)	02.09.2020 (03:00 PM)
2	No. 12(54)01/ 2Bay/2020/ D(P)/ 671-D(P-S) Cell/E	Supply of 2-Bay Vertically Polarized Side Mount VHF FM Antenna	(IUU)	163.29	3.27	09.09.2020 (02:30 PM)	09.09.2020 (03:00 PM)

NOTE:

 The bid forms, General Instructions to Bidders and other details including amendments/ changes can be viewed/ downloaded from the website http://prasarbharati.eproc.in.

 Tender notice is also available on the Prasar Bharati website www.prasarbharati.gov.in (using the link: Tender) and CPP PORTAL on website http://eprocure.gov.in.

(हृदेश कुमार/ Hirdesh Kumar)

निदेशक (अभि.)/ Director (Engg.)

कृते महानिदेशक आकाशवाणी/ for Director General: All India Radio E-mail: depurchase@prasarbharati.gov.in

Tele :-011-2342 1040





प्रसार भारती/ PRASAR BHARATI

मारत का तीक सेवा प्रसारक/ INDIA'S NATIONAL PUBLIC SERVICE BROADCASTER वाकाशवाणी महानिदेशालय/DIRECTORATE GENERAL: ALL INDIA RADIO शोजना और जिसाम एकक अकाशवाणी शवन, संसद मार्ग, नई दिस्ती-110001 P & D UNIT, AKASHVANI BHAWAN, SANSAD MARG, NEW DELHI-110001 [क्य अनुमाग/PURCHASE SECTION]

No. 01(53)11/NIT-36/2020-D(P)E/ 2197

Dated: 13.07.2020

Notice inviting e-Tenders No. 36/2020

A. GENERAL INSTRUCTIONS TO BIDDERS:

- The tenders under this NIT are only for Indian bidders as per Amendment in General Financial Rules, 2017 - Global Tender Enquiry issued by Ministry of Finance Department of Expenditure Letter F. No. 12/17/2019-PPD dated 15.05.2020.
- The scope of work for stores to be tendered are available in the complete bid documents which can be viewed / downloaded free of cost from Prasar Bharati portal www.prasarbharati.gov.in or e-tender portal of AIR http://prasarbharati.eproc.in, or CPP Portal http://eprocure.gov.in.
- Both Technical Bid and Financial Bid will be submitted concurrently duly digitally signed in the website http://prasarbharati.eproc.in.
- 4. It is highly recommended that the bidders should not to wait till last date of bid submission to avoid complications like internet connectivity issue, network problems, system crash down, power failure, browser compatibility issue, system compatibility issue, improper digital signature certificate problem etc. In view of this context, neither Prasar Bharati nor C1 India Pvt. Ltd. will be responsible for such eventualities. No claim shall be entertained on account above. Bidders are advised to upload their bids well in advance to avoid last minute technical snags.
- All Corrigendum/Amendment/Corrections, if any, will be published on the Portalhttp://prasarbharati.eproc.in.
- All documents / papers uploaded / submitted by the bidder must be legible.
- 7. It is mandatory for all the bidders to have Class-III Digital Signature Certificate with both DSC Components i.e. Signing & Encryption (in the name of person who will sign the bid document) from any of the licensed Certifying Agency under CCA, Ministry of Electronics and Information Technology, Government of India to participate in e-tendering portal of Prasar Bharati. Bidders can see the list of licensed CAs from the link www.cca.gov.in, C1 India Pvt. Ltd. also facilitate Class III Digital Signature Certificate.
- 8. To participate in the e-tendering submission, it is mandatory for the applicants to get registered their firm/joint venture with the Prasar Bharati e-tendering portal http://prasarbharati.eproc.in to have user ID & Password by submitting a non-refundable Annual registration charges for vendor/supplier are given in table below through online mode (net banking/ debit card/ credit card). Validity of registration is 1 year.

No. 01(53)11/NIT-36/2020-D(P)E

Dated: 13.07.2020

13/17/20

 To participate in e-bid, bidders have to pay e-Tender Processing fee (nonrefundable) per tender per bid through online mode (net banking/ debit card/ credit card) as per following table-

Estimated Value of the Tender	Processing Fees per Tender per Bidder
Less than or Equal to Rs.10 Lakhs	Rs. 475.00 + 18% GST
More than 10 Lakhs But Less than or Equals to 50 Lakhs	Rs. 925.00 + 18% GST
More than 50 Lakh	Rs. 1150.00 + 18% GST
Annual Charges for Online Bidder/ Vender for the Registration	Rs. 450.00 + 18% GST

- Bid document contains certain conditions for Manual submission of tender and are nowredundant. Document shall be deemed to have been modified to that extent.
- Paying Authority will be respective Pay & Accounts office of the Zonal Office.
- The bidder may modify or withdraw their bid after submission prior to the Bid Due date. No bid shall be modified or withdrawn by bidder after the bid due date and time.
- Both 'EMD' and 'Tender Document Fee', if any, are mentioned in individual tender document published at Prasar Bharati e-Tendering Portal(https://prasarbharati.eproc.in).
- For helpdesk, please contact e-tendering cell and Help Desk Support Monday to Friday Ph: 0124-4302033/36/37, prasarbharatisupport@c1india.com.
- Page No. shall be given on each and every paper/documents serially uploaded in the technical bid.
- 14. Bidders shall ensure to quote rate of each items. If any cell is left blank and no rate is quoted by the bidders, the rate of such item shall be treated as "0" (Zero).
- 15. The bid security (EMD) may be accepted in the form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks or payment online in an acceptable form. The Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks may be in favour of PB, BCI, DG: AIR, New Delhi with the validity for a period of forty-five days beyond the final bid validity period.
- 16. 'EMD deposit' shall be placed in a single sealed envelope superscripted with tender reference no. and date of opening so as to reach Assistant Engineer in Room No.326/346, P&D Unit, Akashvani Bhawan, DG:AIR, New Delhi before scheduled time on prescribed tender opening date. EMD received late shall be summarily rejected. Hard copy of any other tender document shall not be accepted.
- 17. Performance Security may be accepted in the form of an Account Payee Demand Draft, Fixed Deposit Receipt from a Commercial bank, Bank Guarantee from a Commercial bank or online payment in an acceptable form. The Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks may be in favour of

No. 01(53)11/NIT-36/2020-D(P)E

Dated: 13.07.2020

PB, BCI, DG: AIR, New Delhi with the validity for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations.

Estimated Value of the Contract/ Tender (X)	Amount of Bid Security	Amount of Performance Security
X is less than or equal to Rs. 10 crore	2%	5%
X is greater than Rs. 10 Crore and less than or equal to Rs. 15 Crore	3%	7%
X is greater than Rs. 15 Crore and less than or equal to Rs. 20 Crore	4%	8%
X is greater than Rs. 20 Crore	5%	10%

- The successful tenderers will be required to furnish Security Deposit as per above table within 30 days of placement of contract.
- Tenderers may ask any clarification, if required, before the date stipulated in the details of tender items for the purpose. After that no request will be entertained.
- 20. Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered withthe Central Purchase Organisation or the concerned Ministry or Department or Start-ups as recognised by Department of Industrial Policy & Promotion (DIPP) for the items required in NIT shall be exempted from payment in respect of cost of Earnest Money as per the Government instructions on the subject on submission of documentary evidence of valid Registration. Policy is meant for procurement of only goods produced and services rendered by MSEs. However, traders are excluded from the purview of Public Procurement Policy.
- 21. The purchaser reserves the option to give Purchase preference to the offer from Public Sector Units and/or from Small Scale Cottage Industries Units over those from other firms, in accordance with policies of the Government of India from time to time.
- Tenderers shall separately indicate the rate and amount of GST/IGST etc. as applicable on the date of tendering in their offer failing which the offer will be summarily rejected.
- Tenderers have to submit GST Registration Certificate while uploading the tender.
- 24. Tenderers shall separately indicate the HSN/SAC code, rate and amount of GST/IGST as applicable on the date of tendering in their offer, failing which the offer will be summarily rejected.
- 25. IGST and Compensation Cess (wherever applicable) will be levied on imports.
- Public Procurement (Preference to Make in India) Order No. P-45021/2/2017-B.E-II dated 15.06.2017 of Government of India, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion shall be applicable.
- Terms Conditions given in specification will supersede for conflict withany terms and condition given in AIR Tender Document.
- In Repeat Order Clause 6.9, page-10 and Clause 22, page-52 of AIR Tender Document, 50% may be read as follows-
- (i) Variation of Quantities at the Time of award: At the time of awarding the contract, the quantity to be procured must be re-judged based on the current

EGRE PSINTO

Dated: 13.07.2020

data, since the ground situation may have very well changed. The tendered quantity can be increased or decreased by 25 (Twenty-Five) per cent for

ordering, if so warranted.

(ii) Option clause: In case of long running, yearly procurements, to take care of any change in the requirement during the currency of the contract, a plus/minus option clause (normally 25 (Twenty-Five) per cent) is incorporated in the tender document, reserving purchaser's right to increase or decrease the quantity of the required goods up to that limit without any change in the terms and conditions and prices quoted by the tenderers.

B. LIST OF MANDATORY DOCUMENTS (to be uploaded with tender):

Copy of EMD.

AIR Tender Document dulyfilled and signed on each page along with all Annexures and amendment.

AIR Technical Specifications duly signed on each page.

 Integrity Pact (for estimated contract value of Rs. Two Crores or more) duly filled and signed.

Letter of authority to sign and upload bid documents.

Original Equipment's Manufacturer's (OEM) Authorization for Equipment quoted.

 Past performance along with the user certificate in respect of Supply/ SITC/SETC of the Equipment quoted.

(ह्रदेश कुमार/ Hirdesh Kumar)

ाट्य हे हिल्ला निवेशक (अभि.)/ Director (Engg.)

कृते महानिदेशक आकाशवाणी/for DG: AIR

E-mail: depurchase@prasarbharati.gov.in

Dated: 13.07.2020

Tele:-011-23421040

PRASAR BHARATI

(India's Public Service Broadcaster)

DIRECTORATE GENERAL: ALL INDIA RADIO (PLANNING & DEVELOPMENT UNIT)

SPECIFICATION FOR SUPPLY OF 6-BAY CIRCULARLY POLARIZED SIDE MOUNT FM ANTENNA WITH OMNI-DIRECTIONAL/DIRECTIONAL (POLE TYPE) VHF PATTERNS

CONTENTS

		Page No.
S. No.	Description	1-3
1.	A. Essential Requirement for tender	3-4
2.	B. Essential Eligibility Criteria for tenderers	4 - 7
3.	Section-I, General Specifications	8 - 10
4.	Section-II, Technical Specifications	11
	THE Townstian Dataile	
5. 6.	Section-IV (A), Schedule of Requirements/Materials (un-priced) for Supply of or	
7.	Section-IV (B), Schedule of Requirements/Materials (un-priced) for Supply of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna	13
8.	Annexure-I, Performa for information about local office/authorized representative/ dealer in India for after sales support	15
9.	A service II List of places	15
10.	Enclosures: Annexure-III, Annexure-IV, Annexure-V, Annexure-VI & Annexure-VII	

A. ESSENTIAL REQUIREMENT FOR TENDER:

- 1. The tenderer should submit Schedule of Requirements/Materials for Supply (un-priced) in the same format as given in AIR Specification in the technical bid, failing which, the tender shall be considered incomplete and is liable to be rejected.
 - (ii) It is also mandatory to mention Make & Model of the offered equipment in the Schedule of Requirements/Materials for supply, failing which, the tender shall be considered incomplete and is liable to be rejected.
- Each statement of this specification has to be complied with & supported by printed technical literature, technical data sheets, schematic drawings and technical manuals from the manufacturer of the equipment by the tenderer, to assess the full merit of the offer ,without which tender will be considered incomplete and is liable to be rejected.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

3. The tenderer should submit the tender offer to AIR in the format given below, section wise & clause wise, in respect of all the sections of technical specifications. The OEM/tenderer must provide the page number reference, in column (4) of the table given below, of the technical bid clearly indicating the volume number also, if any, for each supporting document to verify the parametric values shown in the compliance statement, to assess the full merit of the offer, failing which the tender shall be considered incomplete and is liable to be rejected.

S. No. of AIR Specifications (Section wise & Clause wise) (1)	Details of AIR Specifications (Part/ Section wise & Clause wise) (2)	(Yes/No)	The page no. of the tender offer, where the information/ supporting document is available.	Remarks
A. Essential requirements for tender	(-)	(3)	(4)	(5)
B. Essential eligibility criteria for tenderers				
Section-I Clause wise				
Section-II Clause wise				
Section-III Clause wise				

- The tenderer should also quote the rate/cost of individual items in the tender offer while submitting the offer in respect of spares (OPTIONAL) in commercial bid.
- 5. The tenderer should submit the complete technical specification (Section wise & Clause wise) compliance statement along with Schedule of Requirements/Materials (un-priced) duly signed & stamped by the respective OEM in the tender document. In case, tender offer is from other than the OEM, the tenderer must also sign & stamp on the technical specifications compliance statement (Section wise & Clause wise), failing which the tender shall be considered incomplete and is liable to be rejected. The OEMs & tenderer should mention their names & designation of the signatories, full address with pin code, phone number, fax number.
 E-mail etc.
- 6. All the volumes of the entire tender offer must be page numbered.
- 7. The authorization and guarantee must be given by respective Original Equipment Manufacturer (OEM) on their letterhead pad duly signed & stamped. In case tender offer is from other than the Original Equipment Manufacturer, the tenderer must also give guarantee on their letterhead pad, duly signed & stamped, failing which the tender shall be considered incomplete and is liable to be rejected.
- In case tender offer is from other than the Original Equipment Manufacturer, the tenderer should also furnish
 a certificate from the OEM that the tenderer can quote items of the OEM directly, failing which the tender
 shall be considered incomplete and is liable to be rejected without any notice/back reference.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

- 9. Prasar Bharati will follow the reciprocal market access strategy of the Government of India, which describes on the Clause 10(d) of Public Procurement Preference to Make in India, Order 2017. The Purchaser shall have right for not consider any Bid and may restrict such Bidders from the bidding process; who originate from those countries, where they do not allow market access for Indian companies; in such cases, the Clause 10 (d) of Public Procurement Preference to Make in India, order 2017, shall be invoked wherever applicable, when it is relevant.
- Amendment in General Financial Rules (GFRs), 2017-Golobal Tender Enquiry issued vide F. No. 12/17/2019-PPD dated 15.05.2020 of Government of India, Ministry of Finance, Department of Expenditure, Public Procurement Division shall be applicable.
- 11. Any change/modifications in the AIR technical specifications format, language, technical parameters or of any other nature including the deletion of clause, words, lines etc. by the OEM/ tenderer will not be acceptable to AIR and the tender is liable to be rejected.
- Optional items will not be considered for ranking purpose.

B. ESSENTIAL ELIGIBILITY CRITERIA FOR TENDERERS:

- a. The tenderer shall be from India only.
- b. The tenderer should either be the OEM of VHF FM Antenna or their authorized representative/dealer.
- c. (i). The OEM of the VHF FM Antenna must have an experience of manufacturing and supplying 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna of power rating not less than 45 kW for at least last 5 years. Documentary evidence to support this must be provided.
 - (ii). The OEM should have supplied FM antenna to reputed/public broadcasters. The OEM must provide the details of past supply record (in the format given below) for at least 10 Nos. of such VHF FM Antenna of power rating not less than 45 kW, supplied during last five years ending last day of the month previous to the one in which the tender is invited.

		Type, Model & Power rating of VHF FM Antenna supplied	Quantity supplied	Name of the Customers/broadcasters with full postal address including e- mail addresses to whom VHF FM Antenna was supplied.
(1)		(2)	(3)	(4)

- (ii). All India Radio reserves the right to get performance feedback of the antenna from any of the above broadcasters named by the tenderer/OEM.
- (iv) Copies of Supply order/completion certificates/delivery challans/invoice of at least 05 Nos., out of 10 Nos. of such FM antenna of power rating not less than 45 kW submitted by the tenderer in above format, are also to be enclosed by the tenderer.
- d.In case tenderer is the authorized representative/dealer i.e. other than OEM, the tenderer must be in the business of sales and supply of VHF FM Antenna/TV Antenna for last three years or more OR must be an authorized representative/dealer of any OEM of VHF FM Antenna/TV Antenna for last three years or more. Documentary evidence to support this must be provided.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

- e. The OEM of the offered VHF FM Antenna must have his local office/authorized representative/dealer in India for after sales support. A certificate as per Annexure-I duly signed by the OEM as well as local office/authorized representative/dealer must be submitted with the offer. Copy of Agreement/MoU executed between OEMs and their authorized representative/dealer duly signed by both, must also be submitted with the offer.
- f. The tenderer/OEM must have his own test bench including test field, rotating tower, suitable receiving equipments for measuring various parameters and their analysis. The tenderer must submit the necessary supporting documents along with detailed drawings, photographs etc. of the test set up facilities at tenderer/OEM Works/Site, failing which the tender is liable to be rejected.

SECTION-I

GENERAL SPECIFICATIONS:

- 1.0 The 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna as per AIR specification shall be used for round the clock for continuous operation without any interruption in VHF FM broadcast service at AIR station for FM transmitter/studio setup. The offered equipment/items as per specification shall be field proven for satisfactory operation.
- 1.1 Please refer tender documents for general terms and conditions of contract for supply including all the commercial aspects like, Packing and packing list, Insurance and Marine Risk etc. Payment terms, Penalty/Compensation for delay, Damages and liabilities, Time Period and Extension for Delay, Foreclosure of contract due to Abandonment or Reduction in scope of supply, Cancellation of contract in full or part, Recovery of security deposit, Performance Guarantee, Unsatisfactory workmanship, Damages incurred during transit, tenderer liable for damages, Defects, Recovery of compensation, Ensuring payment and amenities, tenderer to indemnify Government against Patent Rights, Release of security deposit, Safety Code, insurance from manufacturer's works/factory to respective site etc. i.e. in totality.

1.2 INSPECTION:

- Detailed inspection of complete VHF FM Antenna system will be carried out at Tenderer's Works/Site by two engineers of All India Radio as per details given in Section-III.
- b. Prior intimation for carrying out inspection at tenderer's Works/Site is to be given by the tenderer to All India Radio at least 2 weeks in advance. Inspection period will be as per details given in Section-III.
- For AIR inspecting engineers, expenses towards to and fro air journey, boarding, lodging etc. will be borne by All India Radio.
- d. The complete Acceptance Test Procedure/Protocol (ATP) will be prepared by the OEM of the VHF FM Antenna and other equipment/items as per Section-IV (A&B) and submitted to DDG (E-FM), P&D Unit, DG: AIR for approval within 15 days of issue of Acceptance of Tender. ATP will also indicate full details of setup for measuring/testing equipments to be deployed during the

U. S. Pandey, AE

Manzoot Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

performance measurements/inspection. The approved ATP shall form the basis for performance measurements/inspection to be carried out. All India Radio has the right to include other technical parameters in ATP submitted by OEM within the ambit of specification of the product offered.

1.3 DOCUMENTS/INFORMATION TO BE SUPPLIED WITH THE TENDER OFFER:

- (i) The complete technical specifications (Section wise & Clause wise) compliance statement alongwith Schedule of Requirements/Materials for supply (un-priced) of VHF FM antenna system, duly signed & stamped by the respective Original Equipment Manufacturer (OEM) and countersigned by the tenderer as per the format given above in clause A (3).
- (ii) Complete printed technical literature/technical data sheet/schematic drawings/detailed information including Technical Manual of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna and associated equipments/items as per Section-IV (A&B) from the Original Equipment Manufacturer (OEM) in support of compliance statement should be furnished for all the items of the tender, to assess the full merit of the offer, without which the tender offer will be considered incomplete and is liable for
- (iii)Schedule of Requirements/Materials (un-priced) for supply of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna, associated equipments & accessories should be in conformity with Section-IV (A&B) without any change in the format, failing which, the tender will be considered incomplete and is liable for rejection. The tenderer must quote all items.
- (iv) Country of Origin, Make, Type & Model of all the offered items should be mentioned including the name & address of their OEM(s).
- (v) A copy of the Technical Manual must be enclosed with technical bid for assessing the complete 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna. The Technical Manual must include at least the details given below:
 - (a) General description of the offered 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna, block diagram/schematic drawings etc.
 - (b) A suggestive drawing with dimensions in metres for installation of the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system with all allied equipment.
 - (e) Diagrams showing the isometric view of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna and allied equipment with dimensions in metres.
 - (d) Installation Manual & drawings with dimensions in respect of offered equipment.
 - (e) Photograph of the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna.
 - (f) All Do's and Don'ts which are essential for safe Installation, Operation & Maintenance of the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna.

1.4 DOCUMENTS TO BE SUPPLIED BY THE TENDERER WITHIN 15 DAYS AFTER ISSUE OF ACCEPTANCE OF TENDER:

One set of Technical Manuals (for Installation, Testing, Commissioning, Operation & Maintenance, including theory of operation and fault diagnosis) COLOUR printed and duly bound for 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna along with associated equipment, items & accessories along with soft copy on pen drive must be supplied to "DDG (E-FM), P & D Unit, DG: AIR, New Delhi-110001".

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

1.5 INFORMATION TO PRECEDE DESPATCH OF EQUIPMENT:

Following information should be supplied to the DDG (E-FM), P & D Unit, DG:AIR and each of the consignee, two months prior to dispatch of Equipment:

a) Detailed list of equipment under dispatch.

b) Photograph showing location of various units/subunits with item numbers marked thereon.

1.6 DOCUMENTS TO BE SUPPLIED ALONGWITH EQUIPMENT:

Technical manuals (for Installation, Testing, Commissioning, Operation & Maintenance, including theory of operation and fault diagnosis) for 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna along with associated equipment, items & accessories and inspection report shall be supplied as per the details given below: -

(i) For Consignee- 1 Set each comprising of two hard copies COLOUR printed and duly bound alongwith one soft copy on pen drive.

(ii) For the following Offices/Officers-One soft copy on pen drive for each offices/officers DDG(E-FM), DDG(E-TM), Zonal Offices (Maintenance Wing of all five zones), Zonal Offices(Project Wing of all five zones), Technical Library(P&D Unit), R&D & NABM (T)

1.7 GUARANTEE:

The tenderer shall submit with his tender an undertaking to accept the following guarantees:

(i) A guarantee that the equipment supplied will be in accordance with these specifications, varied only to

the extent stated in his tender and agreed to in the contract.

- (ii) A guarantee to make good within 15 days (from the date of first intimation to OEM/tenderer) at tenderer's expense any component which becomes defective under normal operating conditions for 30 months from the date of supply. If the tenderer failed to rectify the fault within the stipulated period of 15 days, the guarantee period for that particular equipment/item would be extended corresponding to the outage period.
- (iii) A guarantee to supply all components for a period of ten years from the date of acceptance of Equipment at site, at rates at which these are being supplied by him to other customers and also should match prices of original manufactures of these components prevailing at that time.

(iv) If at any stage during next 10 years, the manufacturer stops production of this model of Equipment, the tenderer/OEM shall intimate All India Radio in advance to enable the latter to stock the critical items.

1.8 LANGUAGE/UNITS:

All information supplied by the tenderer & all markings, notes, designation on the drawings & associated write-ups shall be in "English language" only.

All dimensions, units on drawings, all references to weights, measures & quantities shall be in MKS.

1.9 DELIVERY PERIOD OF EQUIPMENT:

Supply will have to be completed within Five (5) months from the date of Acceptance of Tender or Four (4) months from the date of the Decision Letter from WPC(wherever is required) in respect of RF equipment, provided by AIR, whichever is later.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

1.10 PACKING AND PACKING LISTS:

All the equipment should be securely and properly packed to withstand transit hazards. Equipment packing shall be fit for sea freight and incorporate adequate protection against ingress of moisture. Packing slips giving details of the items contained in each package shall be placed inside the package in a water proof envelop to enable easy identification and should contain cross references to item/part numbers of installation drawings/components lists. Copies of packing slips and other details should be sent separately to respective consigner and also to The DDG (E-FM), P & D Unit, DG: AIR, New Delhi.

1.11 INSURANCE AND MARINE RISKS ETC:

Please refer to commercial terms.

1.12 ESSENTIAL REQUIREMENT FOR LOCAL OFFICE/AUTHORIZED REPRESENTATIVE/ DEALER IN INDIA:

- (a) The OEM should have complete setup for maintenance/repair of the VHF FM Antenna in India, either of its own or through local office/authorized representative/dealer.
- (b) The local office/authorized representative/dealer will be the nodal point for resolving issues related to after sales support. It is the responsibility of local office/authorized representative/dealer to arrange the repair/replacement of faulty items. Any module of VHF FM Antenna or other equipment requiring repairs will be repaired. If it is not feasible to repair the module at site, the same will be collected from the site by local office/authorized representative/dealer that will arrange repairs locally. The cost of transportation, repairs etc. shall be borne by the tenderer during the guarantee period.
- (c) After sales support for the repairs/maintenance of VHF FM Antenna system after the completion of guarantee period, shall also be provided by the respective OEM of the VHF FM Antenna and other associated equipments through their local offices/authorized representatives/dealers in India.
- (d) The details of technical facilities available with local office/authorized representative/dealer for after sales support such as test bench, necessary test & measuring equipment and photographs thereof, must be provided in the technical bid.
- (e) At the discretion of AIR, the representative(s) of AIR may visit the works of local office/authorized representative/dealer of OEM in India to ensure/verify that adequate technical infrastructure is available for after sales service for timely resolving the issues related to attending/replacing the equipments. Tenders from the tenderers who failed to meet these criteria shall be considered incomplete and is liable to be rejected.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

SECTION-II

TECHNICAL SPECIFICATIONS:

1.0 INTRODUCTION:

The 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna with omnidirectional/directional patterns are required for use with FM transmitters of All India Radio for multi frequency operation in the band 88 MHz-108 MHz in tropical condition of heavy rain fall, high humidity and desert region. Two or more FM transmitters shall be combined and fed to this antenna.

The tenderer is required to offer complete Antenna System, comprising of Dipoles, reflectors for directional, Inter bay RF coaxial air dielectric feeders/Rigid lines, Power Splitters, Fine Tuning arrangement (on site) and other accessories for the completeness of offered Antenna System.

- 1.1 The FM antenna will be mounted between 80 M to 100 M on one face of 100 M FM tower having a square cross section of 650 mm × 650 mm. A GI pipe of 100 mm inner dia. category 'C' already installed on the tower by AIR for fixing the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system. In case of directional antenna system, the tenderer is required to accommodate reflector within the available space of 600 mm i.e. distance from face of tower to centre of pipe to achieve the desired directional radiation pattern in Horizontal Plane. Refer Annexure-III, Annexure-IV, Annexure-VI & Annexure-VII.
- 1.2 Following equipment and items will be provided by AIR.
 - 1.2.1 The transmitter conforming to ITU-R Rec.
 - 1.2.2 RF coaxial air dielectric cable, rigid lines (for inter connections of transmitter in the transmitter hall), Dehydrator, Dummy load and RF coaxial switch (for selection of Antenna or Dummy load) etc.
 - 1.2.3 Self-supporting lattice steel 100 M tower.
 - 1.2.4 A GI pipe of 100 mm inner dia. category 'C' already installed on the tower by AIR for fixing the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system.

All the items required for the completeness of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system offered by the tenderer and its mounting for optimum performance shall be supplied by the tenderer except equipment and items mentioned above in Para No.1.2.1, 1.2.2, 1.2.3 and 1.2.4.

2.0 ELECTRICAL PARAMETERS:

		Omni-directional antenna	Directional antenna
2.1.1	Polarization	Circ	ular
2.1.2	Input impedance	50 Ω unt	palanced
2.1.3	Frequency band	88 MHz-10	8 MHz
2.1.4	VSWR		
2.1.4.1		Less than or equal to 1.2: 1.0 ove MHz in the frequency range (88	

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

		the state of the transfer of the time to	to 1.1: 1.0 on operating frequencies of placement of the order).			
2.1.4.2		VSWR and Return Loss Value (dB) in Graph form over the conference range (88 MHz-108 MHz) to be enclosed with the ten				
2.1.5	Continuous Average Power rating	≥45 KW				
2.1.6	Downward beam tilt	1° for entire Frequency Range i.	e. (88 MHz -108 MHz)			
2.1.7	Null filling	Required, 10%				
2.1.8	Front/Back Ratio (Horizontal patterns)	NA	≥ 6.0 dB for both Horizontal & Vertical components (Refer annexure-V)			
2.1.9	Antenna Gain	> 5.5 dBd for omni-directional	≥ 7.5 dBd for directional			
2.1.9.1	Antenna gain (in dBd)	MHz for omnidirectional & di	frequency range of 88 MHz - 108 rectional shall be enclosed with the			
2.1.9.2	Radiation pattern in vertical Plane (0° to ± 90°)	Radiation pattern in vertical Plane (in dB) for omni-directional & directional should be enclosed with the tender.				
2.1.9.3						

- 2.1.10 No. of vertical Bays: 6
- 2.1.11 Spacing between Bays: Approximately 0.8k to 1.0k. Actual distance to be indicated in tender, and a full Engineering drawing to be enclosed.
- 2.1.12 Antenna Mounting details: The FM antenna will be mounted between 80 M to 100 M on one face of existing 100 M FM tower having a square cross section of 650 mm × 650 mm. A GI pipe of 100 mm inner dia. category 'C' already installed on the tower by AIR for fixing the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system. In case of directional antenna system, the tenderer is required to accommodate reflector within the available space of 600 mm i.e. distance from face of tower to centre of pipe to achieve the desired directional radiation pattern in Horizontal Plane. Refer Annexure-III & Annexure-IV. Full details of antenna arrangement and the engineering drawings with dimensions to be submitted with the tender.
- The six (6) dipoles of the FM Antenna will be mounted on a 100 mm inner dia. category 'C' GI pipe on one face of the tower. Expected field pattern (circular polarization) with such a supporting tower 2.1.13 should be submitted alongwith the tender. Details for carrying out field adjustments for ensuring that actual Radiation Pattern (Horizontal and Vertical plane) conforms to AIR specification, if any, in the field or at site are to be enclosed with the tender.
- Inter-bay feeding/Feed System: Full details of Feeding arrangement and the engineering drawings with dimensions along-with the details of inter-connecting RF co-axial air dielectric cables/rigid lines 2.1.14

U. S. Pandey, AE

Manzoor Alf, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

etc. to be submitted with the tender. The entire feeding system should be adequately protected against heavy rainfall, extreme daily temperature variance.

2.2. MECHANICAL DETAILS (ANTENNA SYSTEM):

(i) Antenna Weight (without supporting hardware): ≤ 500 Kg

(ii) Antenna Wind Load: ≤ 650 Kg (iii) Maximum Wind Speed: 180 kmph

(iv)Antenna aperture: 18000 mm

- 2.2.2 External material of Dipoles and rigid feed lines: Exterior of dipoles will be made of stainless steel or Marine Brass. Rigid lines with Marine Brass or Copper.
- 2.2.3 External material of Reflector: Exterior of Reflector will be made of stainless steel or Marine Brass.
- 2.2.4 Internal material (for Power Divider, Rigid lines & interconnecting feed cables/ lines): Inner lines of Dipoles will be of copper, Brass & those of Power Dividers will be of copper or Brass. All electrical contacts will be silver plated. All inners and bullets of connecting head or mating head will be made of Beryllium copper and silver plated. Insulators will be made of virgin Teflon.
- 2.2.5 Pressurization: Pressurization is must up to the antenna dipoles i.e. in the RF coaxial cable, power dividers, sub-dividers/splitters and branch cables.
- 2.2.6 Ambient Temperature/RH: -5° C to 50° C, RH 95% Non-Condensing.
- 2.2.7 Input connector: Main power divider of antenna system: To match with 3-1/8" EIA Flange connector, RF output of FM transmitter will be available through the 3-1/8" EIA Flange connector mounted on 4" RF coaxial air dielectric cable.
- 2.2.8 Set of clamps: Suitable clamps for dipoles, Power Divider/Splitter and RF coaxial air dielectric cables / rigid lines etc. are to be included in the offer and the mechanical details (weight, dimension & materials used etc.) be indicated in the tender.
- 2.2.9 The entire Antenna System should be adequately protected against heavy rain fall & humid climate of tropical region. Each component/Sub system of the Antenna System should be adequately protected for extreme weather conditions. The Antenna system should also be well protected against dust as well as desert conditions of extreme day and night temperature variations.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

SECTION-III

INSPECTION DETAILS:

The inspection for acceptance of the Complete 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system will be carried out at the Tenderer's Works/Site by **two Engineers** of All India Radio (AIR) in accordance with Acceptance Test Procedure/Protocol(ATP). All facilities like complete set of measuring instruments, power supply, manual assistance etc. will be provided by the tenderer.

The tenderer shall put up all the 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system for inspection in lot, out of which one 6-Bay directional antenna system and one 6-Bay omni-directional antenna system shall be inspected. Complete details and specifications of the above Antenna System will be checked and all parameter values will be measured. Inspection period shall be one working day for each Antenna system. One randomly selected single Bay (pole type) antenna shall be tested on ≥ 7.5 kW for 02 Hrs. at a frequency of 108.0 MHz to ensure the power handling capability of the antenna. The tenderer should arrange to test the single bay (pole type) antenna for ≥ 7.5 kW power.

For the remaining antenna system, the VSWR/Return loss vs frequency measurement in the VHF Band II i.e. 88 MHz to 108 MHz and pressurization up to antenna dipoles are to be checked. Inspection period shall be one additional working day against every set of three Antenna system. Other technical parameters as per Section-II will be accepted on the basis of Original Equipment Manufacturer's (OEM) Test Certificates, duly signed and stamped on the letter head of the OEM, failing which Test Certificates will be considered incomplete and equipment offered by the firm is liable to be rejected.

Exhaustive checking and measurements will be carried out so as to completely check the compliance of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna System and its sub systems as per approved ATP (based on AIR as well as OEM specifications).

It is mandatory that all these testing/measurements of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna System as per parameters in Section-II at any three frequencies including operating frequencies in the VHF band i.e. 88 MHz to 108 MHz, are carried out well in advance as per approved ATP. These must be submitted to All India Radio along with the call for inspection of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna well in advance for analyzing etc. These measurement details, graphical printouts and figures must also be available at the factory at the time of inspection.

Following information should also form part of above data which will also be checked for each 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna during inspection by AIR representative at tenderer's Works/Site:

1.0 Origin of Country, Make, Type and Model of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna, its accessories and spares.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

SECTION-IV (A)

1. SCHEDULE OF REQUIREMENTS/MATERIALS (UN-PRICED) (FOR ONE SET OF 6-BAY CIRCULARLY POLARIZED SIDE MOUNT (POLE TYPE) VHF FM ANTENNA) WITH OMNI-DIRECTIONAL PATTERNS

S. No.	Description	Make	Model	Unit	Qty
1.	6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system with Omni-directional patterns complete as per AIR Specification including Power divider/splitter, fine tuning arrangement, antenna clamps etc. with technical manual as per AIR Specification			Set Complete	1Set Complete
2.	Any other items/hardware materials etc. offered for the completeness of the above antenna system. (Item wise details of the offered items/hardware materials etc. shall be given by the tenderer) State NA, If not applicable			Lot	l Lot
3.	Inspection charges at tenderer's Works/Site of VHF FM Antenna as per AIR specification.			Lot	1 Lot

2. SCHEDULE OF REQUIREMENTS/MATERIALS (UN-PRICED) (FOR ONE SET OF 6-BAY CIRCULARLY POLARIZED SIDE MOUNT (POLE TYPE) VHF FM ANTENNA) WITH DIRECTIONAL PATTERNS

S. NO.	Description	Make	Model	Unit	Qty
1,	6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna system with directional patterns complete as per AIR Specification including Reflectors, Power divider/splitter, fine tuning arrangement, antenna clamps etc. with technical manual as per AIR Specification			Set Complete	1Set Complete
2.	Any other items/hardware materials etc. offered for the completeness of the above antenna system. (Item wise details of the offered items/hardware materials etc. shall be given by the tenderer) State NA, If not applicable			Lot	1 Lot
3.	Inspection charges at tenderer's Works/Site of VHF FM Antenna as per AIR specification.			Lot	1 Lot

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

S.

SECTION-IV (B)

SCHEDULE OF REQUIREMENTS/MATERIALS (UN-PRICED) FOR 6-BAY CIRCULARLY POLARIZED SIDE MOUNT (POLE TYPE) VHF FM ANTENNA (SPARES) (OPTIONAL)

(Not to be considered for ranking purpose) {The tenderer must quote all items}

S. NO.	Description	Make & Model	Unit	Qty
1.0	List of recommended spares and any other accessories. (Items wise details of offered material including part number are to be given by the tenderer)		Set Complete	1 Set Complete
			Set	1 Set
2.0	(a) "O" ring		Lot	1 Lot
	(b) Silicon grease	-	Set	1 Set
	(a) Connectors assorted sizes	-	Set	1 Set
	(d) RF distributors air dielectric coaxial cables		No.	2 Nos.
	(e) Dipole		No.	2 Nos
	(f) Reflector	-	Lot.	1 Lot
3.0	Any other items/hardware etc. offered for the completeness of the above antenna system. (Item wise details of the offered items/hardware materials etc. shall be given by the tenderer) State NA, If not applicable		Lat	1200
		-	-	
	Padie of its own discretion may procure spares for a v		11 109/	of the cost

All India Radio at its own discretion may procure spares for a value not exceeding 10 of equipments. The tenderer should quote all the essential spares.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

ANNEXURE-I

PERFORMA FOR INFORMATION ABOUT LOCAL OFFICE /AUTHORIZED REPRESENTATIVE/ DEALER IN INDIA FOR AFTER SALES SUPPORT

1.	Address of local office/authorized representative	ve/dealer	
	Telephone (Landline) No.		
	Mobile No.		
-0.11	E-mail Address		
2.	Address for communication (if different)	r communication (if different)	
3.	Legal Status (local office/authorized representative/dealer)		
4.	Name, contact number (Mobile number) & e-m of official representative of the local office representative/dealer	/authorized	
5.	Brief details of Technical facilities available sales support: The details of technical facilities available office/authorized representative/dealer for support such as test bench, necessary test & equipment and photographs thereof, must be the technical bid.		
6.	Main line of business, specialization and num of operation	ber of years	
7.	Total number of permanent technical including their designation and qualification	employees	
8.	Details of Agreement/MoU for after sales st OEM (Copy must be provided with the offer)	Date of Agreement: Executed at : Executed by :	
	(Authorized Signatory of local office/authorized representative/dealer)		ed Signatory of Antenna OEM)
Nar	Name:		
Sig	nature :	Signature :	
Pla	Place and Date:		Date:

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE

ANNEXURE-II

List of Places for Supply of 6-Bay Circularly Polarized Side Mount (Pole Type) VHF FM Antenna with omni-directional & directional patterns

S. No.	Name of places	State	Qty.	Requirement of Radiation Patterns
1	Nanpara	Uttar Pradesh	1 No.	Omni-Directional
1.		Uttar Pradesh	1 No.	Omni-Directional
2.	Gadania	Bihar	1 No.	Omni-Directional
3.	Narkatiaganj	A CONTRACTOR OF THE PARTY OF TH	1 No.	Omni-Directional
4.	Dahod	Gujarat Uttrakhand	1 No.	Omni-Directional
5.	Jaspur		1 No.	Omni-Directional
6.	Rampur	Uttar Pradesh	1 No.	Omni-Directional
7.	Kokrajhar	Assam	10.0000	Omni-Directional
8.	*Kupwara	Jammu & Kashmir	1 No.	Omni-Directional
9.	*Gurej	Jammu & Kashmir	1 No.	
10.	Sitamarhi	Bihar	1 No.	Directional
11.	Bathnaha	Bihar	1 No.	Directional
12.	Maharajganj	Uttar Pradesh	1 No.	Directional


^{*} Subject to concurrence from Doordarshan Directorate for hoisting of 6 Bay antenna on TV tower.

U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE



U. S. Pandey, AE


Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE S. Hyder, DDG(E)

HORIZONTAL RABIATION PATTERNS FOR DIRECTIONAL ANTENNA

(For retensionally)




U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandey, DE

Rajendra Nahar, DE




U. S. Pandey, AE

Manzoor Ali, ADE

Sanjeev Pandcy, DE

Rajendra Nahar, DE



U. S. Pandey, AE

Muoz

Manzoor Ali, ADE

694

Sanjeev Pandey, DE

Rejordan

Rajendra Nahar, DE

2 Mych

ANNEXURE VII

The isometric view of the Antanna system with Reflector is above below:

(For reference only).

U. S. Pandey, AE

Manzoor Ali, ADE

Dendari DE

Sanjeev Pandey, DE

6 in

Rajendra Nahar, DE