




PRASAR BHARATI
(INDIA'S PUBLIC SERVICE BROADCASTER)
DOORDARSHAN KENDRA, BENGALURU.
Email:ddgstoresbng@gmail.com
sgeddkbg@gmail.com
GSTIN Number : 29AAAJ0288R3Z9



No. DDK/BNG/ES/METP-12/2025-26/

Dated: 22nd May 2025

This office intends to procure One number of GPI Tally Interface card suitable for Blackmagic ATEM television studio 8 input video switcher. The warranty and Guarantee of the product may also be specified along with the quote. The scope of the supply is only supply of Goods.


(S.Chinnasami)

Director (E)

For Dy. Director General (E)

एस. चिन्नासामी, आई.बी.(ई).एस / S. Chinnasami, I.B.(E).S

निदेशक (अभि) / (Director(Engg.)

दूरदर्शन केंद्र / Doordarshan Kendra

बैंगलूर - 560006 Bangalore - 560006

[Products](#)[Resellers](#)[Support](#)[Developer](#)[Company](#)[Media](#)[Splice](#)[Log In](#) [ATEM
Constellation](#)
GPI and Tally Interface[Design](#)[Features](#)[Software
Control](#)[Advanced
Panel](#)[Camera
Control](#)[Tech
Specs](#)

GPI and Tally Interface

Technical Specifications

[Find Reseller](#)[Print PDF](#)

Description

Add tally to your ATEM switcher with Blackmagic Design's GPI and Tally Interface! With 8 contact closure tally outputs, you can send a tally signal to your cameras, replay machines and monitors so everyone knows which camera is 'on-air'! If you need more tally outputs, simply connect multiple GPI and Tally Interfaces together because it connects via Ethernet to your ATEM production switcher.

[Download Manual](#) [Download Software](#)

Price

₹ 48,980

Connections

[Products](#)[Resellers](#)[Support](#)[Developer](#)[Company](#)[Media](#)[Splice](#)[Forums](#)[Log In](#)

Optical isolators triggered by connection to ground. Max 5V at 14mA.


[ATEM Constellation](#)
Outputs

[Design](#)[Features](#)[Software Control](#)[Advanced Panel](#)[Camera Control](#)[Tech Specs](#)

Mechanical relay contact closure to ground. Max 30V at 1A.

Ethernet

10/100 BaseT with loop through for connecting to other ethernet enabled equipment.



Software

Software Included

Configured via ATEM Switcher Utility.

Internal Software Upgrade

Firmware built into software driver. Loaded at system startup or via updater software.

Operating Systems



Mac 13.0 Ventura,
Mac 14.0 Sonoma or later.


[Products](#)[Resellers](#)[Support](#)[Developer](#)[Company](#)[Media](#)[Splice](#)[Forum](#)[Log In](#)[ATEM
Constellation](#)[Design](#)[Features](#)[Software
Control](#)[Advanced
Panel](#)[Camera
Control](#)[Tech
Specs](#)

Power Requirements

Power Supply

12V power supply included with international socket adaptors for all countries.

Physical Specifications



Environmental Specifications

Operating Temperature

0° to 40° C (32° to 104° F)

Storage Temperature

-20 - 60 degrees celsius

Relative Humidity

Up to 95%

[Products](#)[Resellers](#)[Support](#)[Developer](#)[Company](#)[Media](#)[Splice](#)[Forum](#)[Log In](#) [ATEM
Constellation](#)[Design](#)[Features](#)[Software
Control](#)[Advanced
Panel](#)[Camera
Control](#)[Tech
Specs](#)

Warranty

1 Year Limited Manufacturer's Warranty.

ATEM Constellation

All

ATEM 1 M/E Constellation HD
₹ 98,980

[Buy Now](#)

ATEM 2 M/E Constellation HD
₹ 1,67,800

[Buy Now](#)

ATEM 4 M/E Constellation HD
₹ 3,65,800

[Buy Now](#)

ATEM 1 M/E Constellation 4K
₹ 1,77,800

[Buy Now](#)

ATEM 2 M/E Constellation 4K
₹ 3,75,800

[Buy Now](#)

ATEM 4 M/E Constellation 4K
₹ 8,90,800

[Buy Now](#)

ATEM 4 M/E Constellation 4K Plus
₹ 12,88,000

[Buy Now](#)