

PRASAR BHARATI

BROADCASTING CORPORATION OF INDIA
OFFICE OF THE EXECUTIVE ENGINEER (CIVIL)
CIVIL CONSTRUCTION WING, AKASHVANI,
1085, GANESH KHIND ROAD, PUNE - 411016



ORIGINAL N.I.T.

NO. 42/EEC/CCW/AKASHVANI/PUNE/2025-26 Dated : 25.03.2026

NAME OF WORK : Annual Repairs and Maintenance of FTII, Pune for the year 2026-2027.

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

ESTIMATED COST : ₹ 28 23 254/-

EARNEST MONEY DEPOSIT : ₹ 56 465/-

SECURITY DEPOSIT : 2.50% OF WORK DONE AMOUNT

PERFORMANCE GUARANTEE : a) 5% of Tendered value or Estimated Cost Put to Tender (ECPT) whichever is higher.
b) Where tendered value is less than 80% of ECPT, the Performance Guarantee in addition to the requirement under a) above shall be increased by an amount equal to the difference between 80% of ECPT and the tendered amount.

TIME LIMIT : 03 (Three) Months

Certified that this NIT contains pages from 1 to 46 in serial order and approved for ₹ 28 23 254/- only.

“APPROVED”

EXECUTIVE ENGINEER
CCW, Akashvani, PUNE-16

INDEX

NAME OF WORK : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027.

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

Sr. No.	Description	Page Numbers	
		From	To
1.	Index	1	1
2.	Tender Notice	2	2
3.	Information and instructions to Bidders	3	5
4.	C.P.W.D. – 6	6	10
5.	Prescribed Format of Receipt of deposition of original EMD	11	11
6.	C.P.W.D. – 8	12	13
7.	Proforma of Schedules	14	18
8.	Annexure-Y	19	19
9.	General Conditions	20	22
10.	Additional Conditions, Green building norms	23	26
11.	Specimen of Guarantee Bond for Waterproofing Treatment	27	28
12.	Condition of materials arranged by the Contractor	29	30
13.	List of Approved Make Of Materials (For Civil Works)	31	32
14.	Schedule of Quantities (Schedule-A)	33	46

EXECUTIVE ENGINEER (CIVIL)
CCW AKASHVANI PB (IPSB) PUNE-16

**PRASAR BHARATI
(IPSB)
CCW, AKASHVANI, PUNE-16
NOTICE INVITING e-TENDER**

The Executive Engineer (Civil), Civil Construction Wing, AKASHVANI, PB(BCI), 1085, Ganesh Khind Road, Pune Invites on behalf of President of India online Item rate tenders from approved and eligible contractors of CPWD and those of appropriate list of BSNL, MES, Railways, Department of Post and state PWD of Maharashtra state for following work:-

NIT No.	42 /EEC/CCW/AKASHVANI/PUNE/2025-26
Name of work	Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027 Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)
Estimated Cost put to tender	₹ 28 23 254/-
Earnest Money Deposit	₹ 56 465/-
Time Limit	03 (Three) Months
Last date and time of online submission of Tender	upto 15.00 Hours on 06/04/2026
Time and date of opening of e-Tenders	at 15.30 Hours on 06/04/2026 or afterwards
Last date & time to submit hard copies of other documents by the lowest tenderer only	Within seven days after date of opening of tenders

For further details, log on to <https://prasarbharati.eproc.in>

Note: - Applicants are advised to keep visiting the above mentioned web-sites from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updated thereof, if any. An incomplete application may be liable for rejection.

**EXECUTIVE ENGINEER (CIVIL)
CCW AKASHVANI PB(IPSB) PUNE-16**

**INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING
FORMING PART OF BID DOCUMENT AND TO BE POSTED ON WEBSITE**

NIT NO. 42/EEC/CCW/AKASHVANI/PUNE/2025-26

The Executive Engineer (Civil), Civil Construction Wing, AKASHVANI, PB(BCI), 1085, Ganesh khind road, Pune Invites on behalf of President of India online Item rate tenders from approved and eligible contractors of CPWD and those of appropriate list of BSNL, MES, Railways, Department of Post and state PWD of Maharashtra state for following work:-

NIT No.	42 /EEC/CCW/AKASHVANI/PUNE/2025-26
Name of work	Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027 Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)
Estimated Cost put to tender	₹ 28 23 254/-
Earnest Money Deposit	₹ 56 465/-
Time Limit	03 (Three) Months
Last date and time of online submission of Tender	upto 15.00 Hours on 06/04/2026
Time and date of opening of e-Tenders	at 15.30 Hours on 06/04/2026 or afterwards
Last date & time to submit hard copies of other documents by the lowest tenderer only	Within seven days after date of opening of tenders

1. The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he consider himself eligible and he is in possession of all the documents required.
2. Information and Instructions for bidders posted on website shall form part of bid document.
3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <https://prasarbharati.eproc.in> free of cost.
Applicants are advised to keep visiting the above mentioned web-sites from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates their of,if any. An incomplete application may be liable for rejection.
4. The bid can only be submitted after **depositing Processing Fee in favour of M/s. C1 INDIA Private Limited** and depositing original EMD either in the office of Executive Engineer inviting bids or division office of any Executive Engineer, CCW, Akashvani within the period of bid submission and uploading the mandatory scanned documents such as Insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt, Bankers Cheque or Bank Guarantee including e-Bank Guarantee (for balance amount as prescribed) from any of Commercial Banks (drawn in favour of **“Executive Engineer (Civil), CCW , AIR, PRASAR BHARATI (BCI), Pune”**) towards EMD and other documents as specified.

5. Those contractors who are not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
6. The intending bidder must have valid class-III digital signature to submit the bid.
7. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
8. Contractor can upload documents in the form of **JPG** format and **PDF** format.
9. ~~In case of e-tendering, integrity Pact (IP) shall be treated in the same manner as other components of the bid document. In e-tendering the intending bidder does not sign any documents physically and entire bid document is submitted through digital signature. Since IP is a part of bid document no separate physical submission is required with other documents to be submitted in the office of tender opening authority. In addition to other component of bid document, the integrity pact shall also be signed between Executive Engineer & successful bidder after acceptance of bid.~~
10. **The Bidder should possess Certificate of Registration for GST. It is mandatory to upload scanned copies of all the documents including GST registration if these documents are not uploaded, then bid will become invalid and shall summarily be rejected.**

The Bidder(s) shall quote all-inclusive rates including all taxes, GST etc. against the items in the schedule of quantities and nothing extra shall be payable. As bidders rate are inclusive of all taxes, no reimbursement of any tax shall be made . The Clause of GCC 2023 of NIT/Contract stands modified accordingly.

Contractor must ensure to quote rate of each item. The column meant for quoting rate in figures appears in pink colour and the moment rate is entered, it turns sky blue.

In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0".

Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).

11. **The Bidder should examine the various provisions of CGST Act 2017, IGST Act 2017 / UGST Act 2017, SGST Tax 2017 of the respective state and up to date amendments issued from time to time and other applicable taxes before bidding / tendering. The bidder shall also confirm to the rules made under these Acts.**
12. **The Bidder shall ensure that benefit of Input tax Credit (ITC) likely to be availed by them is duly considered by them while quoting rates.**
13. **The Bidder shall submit the Invoice of the work executed as per Rule 46 of the CGST rules. The taxes will be calculated as per Rule 35 of CGST Rules 2017.**
14. **TDS on Income tax, labour cess and other statutory deductions shall be made at source as per prevalent laws. TDS on GST as and when become applicable will also be deducted as per relevant GST Act / Rules / Notifications.**

15. List of Documents to be scanned and uploaded within the period of bid submission:

- I) Scanned copy of Treasury Challan/Demand Draft/Pay order or Banker`s Cheque / Deposit at Call Receipt/FDR/Bank Guarantee of any Scheduled Bank against EMD (must be submitted as a Single instrument. If a part of EMD is submitted in the form of Bank Guarantee, the balance should be single instrument)
- II) Receipt of Deposition of Original EMD submitted.
- III) Valid Enlistment Order of the Contractor of Eligibility Class.
- IV) Certificates of Work Experience (if required from non CPWD and CPWD class II and below contractors)
(Certificates of Work Experience must have full credentials of the issuing authority viz. complete postal address, landline / contact number, e mail address etc. for verification purpose)
- V) Affidavit (as per clause 1.2.2 in CPWD-6) with Name of Work and NIT NO., On non judicial stamp paper of Rs. 100/- duly notarized (if required from non CPWD and CPWD class II contractors)
- VI) Two letters from CPWD class I contractors as specified under clause 1.2.3 of CPWD 6 (if applicable).
- VII) GST Registration Certificate of the state in which the work is to be taken up, if already obtained by the bidder and Acknowledgement of up to date filed returns i.e. upto **previous Quarter of current financial year** .
If the bidder has not obtained GST registration as applicable, then he shall scan and upload following under taking along with bid documents.

"If work is awarded to me, I/we shall obtain GST registration certificate, as applicable, within one month from the date of receipt of award letter or before release of any payment by CPWD, whichever is earlier, failing which I/we shall be responsible for any delay in payments which will be due towards me/us on account of the work executed and/or for any action taken by CPWD or GST department in this regard".

The bidder shall be required to produce original documents for verification within stipulated period in the office of Executive Engineer (C), CCW, AKASHVANI, Pune.

**EXECUTIVE ENGINEER (CIVIL)
CCW AKASHVANI PB(IPSB) PUNE-16**

P R A S A R B H A R A T I
(India's Public Service Broadcaster)
CIVIL CONSTRUCTION WING, AKASHVANI
NOTICE INVITING e-TENDER

The Executive Engineer (Civil), Civil Construction Wing, AKASHVANI, PB(BCI), 1085, Ganesh khind road, Pune Invites on behalf of President of India online Item rate tenders from approved and eligible contractors of CPWD and those of appropriate list of BSNL, MES, Railways, Department of Post and state PWD of Maharashtra state for following work:-

Name of work : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

- 1 The enlistment of the contractors should be valid on the last date of submission of bids. In case the last date of submission of bid is extended, the enlistment of contractor should be valid on the original date of submission of bids.
- 1.1 The work is estimated to cost **₹ 28 23 254/-** This estimate, however, is given merely as a rough guide.
~~The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.
For composite bid the bidders, besides indicating the percentage above/below the combined estimated cost put to bid, should also indicate the amount in word for each component separately. The eligibility of bidder will correspond to the combined estimated cost of different components put to bid.~~
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority not below the rank of Executive Engineer or equivalent and which shall be to the satisfaction of the competent authority, of having satisfactorily completed Similar works [**Similar work means Building Civil Works**] of magnitude specified below The similar work should have been executed in last **7 years** ending last day of the month previous to the one in which the bids are invited:

Criteria of eligibility for submission of bid documents (for CPWD class II and non CPWD contractors):

- 1.2.1 **THREE** Similar works each of value not less than 40% of estimated cost put to tender
OR
TWO Similar works each of value not less than 60% of estimated cost put to tender
OR
ONE Similar work of value not less than 80% of estimated cost put to tender
- 1.2.2 The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of submission of bid.

To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under: (please refer Sr.No.17. VI Page No.5 of this NIT)

I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for Bidding in CCW, AKASHVANI in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineering-Charge shall be free to forfeit the entire amount of Earnest Money Deposit /Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)

- 1.2.3 When bids are invited from non CPWD contractors and CPWD contractors as per provisions of **clause 1.2.1** above, it will be mandatory for non CPWD contractors and CPWD class-II (and below) contractors to upload the work experience certificate(s) and the affidavit as per the provisions of **clause 1.2.2**.
2. Agreement shall be drawn with the successful bidders on prescribed Form No. CPWD-7/8 (or other Standard Form as mentioned), which is available as a Govt. of India Publication and also available on website www.cpwd.gov.in. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement. The Item rate / Percentage rate quoted by the tenderer shall be firm and inclusive of GST & all other applicable taxes, duties, cess, levies, Octroi etc. in respect of this contract and Government shall not entertain any claim whatsoever in this respect.
3. The time allowed for carrying out the work will be as defined in schedule 'F' from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. (i) The site for the work is available.
OR
~~The site for the work shall be made available in parts as specified below:~~
-----.
- (ii) The architectural and structural drawings, if required, shall be made available in phased manner, as per requirement of the same as per approved programme of completion submitted by the contractor after award of work.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen on the web Site <https://prasarbharati.eproc.in> free of cost.
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
8. When bids are invited in three stage system and if it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
9. Earnest Money in the form of Insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt, Bankers Cheque or Bank Guarantee including e-Bank Guarantee (for balance amount as prescribed) from any of Commercial Banks (drawn in favour of "**Executive Engineer (Civil), CCW , AKASHVANI, PRASAR BHARATI (BCI), Pune**") shall be scanned and uploaded to the e-Tendering website within the period of bid submission. **The original EMD should be deposited either in the office of the Executive Engineer (C), CCW, Akashvani, Pune or division office of any Executive Engineer, CCW, Akashvani within the period of bid submission. (The EMD document shall only be issued from the place in which the office of receiving division is situated).** The EMD receiving Executive Engineer shall issue a receipt of deposition of earnest money deposit to the bidder in a prescribed format uploaded by the Executive Engineer(C), CCW, Akashvani, Pune in the NIT. This receipt shall also be uploaded to the e-tendering website by the intending bidder up to the specified bid submission date and time.

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakhs, whichever is less, will have to be deposited in the shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank having validity for a period of 90 days for single bid works and 180 days for two bid system or more from the last date of receipt of bids which is to be scanned and uploaded by the intending bidders.

The earnest money given by all the tenderers except the lowest tenderer shall be refunded immediately after the expiry of stipulated bid validity period or immediately after acceptance of the successful bidder, whichever is earlier. However, in case of two/ three bid system, earnest money deposit of bidders unsuccessful during technical bid evaluation etc. should be returned within 30 days of declaration of result of technical bid evaluation.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the notice inviting e- tender shall be scanned and uploaded on the e-Tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in e- tender notice shall have to be submitted by the lowest bidder within a week physically in the office of tender opening authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who have deposited e-tender processing fee with M/s. C1 INDIA Private Limited & Original Earnest Money Deposit deposited in the office of the Executive Engineer(C), CCW, AKASHVANI, Pune or any other division office of any Executive Engineer, CCW, AKASHVANI within the period of bid submission & other documents scanned and uploaded are found in order.

The Certified copy of all the scanned and uploaded documents shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected and enlistment of the agency shall be withdrawn by the enlisting authority.

Interested contractor who wish to participate in the bid has also to make following payments within the period of bid submission:

- (i) **e-Tender Processing Fee (as per ITI rules) shall be payable to M/s. C1 INDIA Private Limited through their e-gateway by credit/debit card, internet banking or RTGS/NEFT facility.**

The bid submitted shall be **opened at 15.30 Hrs.** on or after **06/04/2026**

10 The bid submitted shall become invalid and e-Tender processing fee shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not deposit original EMD either in the office of the Executive Engineer(C), CCW, AKASHVANI, Pune or division office of any Executive Engineer, CCW, AKASHVANI within the period of bid submission.
- (iii) The bidder does not upload all the documents (including **GST** registration) as stipulated in the bid document including the scanned copy of EMD, affidavit and the certified copy of all the scanned and uploaded documents.
- (iv) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted **physically by the lowest tenderer** in the office of tender opening authority.
- (v) If a tenderer quotes NIL rates against any item in item rate tender or does not quote any percentage above / below on the total amount of the tender or any section / sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.

- 11 The contractor whose tender is accepted will be required to furnish Performance Guarantee : a) 5% of Tendered value or Estimated Cost Put to Tender (ECPT) whichever is higher.
b) Where tendered value is less than 80% of ECPT, the Performance Guarantee in addition to the requirement under a) above shall be increased by an amount equal to the difference between 80% of ECPT and the tendered amount within the period specified in Schedule F.

This guarantee shall be in the form of Insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any scheduled bank Government Securities in accordance with the prescribed form.

In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.

The contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board including Provident Fund Code No. if applicable and also ensure the compliance of aforesaid provisions by the sub-contractors, if any engaged by the contractor for the said work within the period specified in Schedule F.

- 12 **Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may requisite and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.**
- 13 The competent authority on behalf of President of India does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
- 14 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 15 The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 16 The contractor shall not be permitted to tender for works in the CCW AKASHVANI Circle (responsible for award and execution of contracts) in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Civil Construction Wing of AKASHVANI or in the Ministry of Information & Broadcasting. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 17 No Engineer of gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

- 18 The bid for the works shall remain open for acceptance for a period of **30 (Thirty)** days from the date of opening of bids.
Further
(i) If any tenderer withdraws his tender or makes any modification in the terms & conditions of the tender which is not acceptable to the department within 7 days after last date of submission of bids, then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the earnest money absolutely irrespective of letter of acceptance for the work is issued or not.
(ii) If any tenderer withdraws his tender or makes any modification in the terms & conditions of the tender which is not acceptable to the department after expiry of 7 days after last date of submission of bids, then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 100% of the earnest money absolutely irrespective of letter of acceptance for the work is issued or not.
(iii) In case of forfeiture of earnest money as prescribed in para (i) and (ii) above, the bidders shall not be allowed to participate in the rebidding process of the same work.
- 19 This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of:-
- a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard C.P.W.D. Form No. 7 / 8 or other standard CPWD forms as applicable. General conditions of contract (GCC) 2023 ~~Construction works~~ / maintenance works with correction slips issued up to one day previous to last date of submission of tenders, which is available as CPWD publication on CPWD official website at <https://cpwd.gov.in>, shall be deemed to be part of the Tender documents.
- 20 Price Preference to SC/ST individual contractor for item rate/percentage rate tender:
Price preference in quoted item rate/percentage rate tender shall be applicable to the individual enlisted/non-enlisted SC/ST contractor as under:-
(i) For work(s) upto and equal to an estimated cost of Rs. 2.70 lakh a price preference upto 5% (with reference to the lowest valid tender) may be allowed in favor of individual SC/ST enlisted/non-enlisted contractor. No earnest money is required in such case(s).
(ii) For work(s) beyond an estimated cost of Rs. 2.70 lakh and upto and equal to estimated cost of Rs. 6.20 lakh, the price preference upto 5% (with reference to the lowest valid tender) may be allowed in favour of individual enlisted SC/ST contractor. However, earnest money at a reduced rate of ½% may be accepted in such cases.
The price preference upto 5% (with reference to the lowest valid price bid) may be allowed in favour of individual SC/ST contractor only. The above concession shall be allowed only after verification of the individual contractor's claim of belonging to SC/ST community.

For and on behalf of President of India

EXECUTIVE ENGINEER (CIVIL)
CCW AKASHVANI PB (IPSB) PUNE-16

NIT approved for ₹ 28 23 254/- (₹ Twenty Eight Lakhs Twenty Three Thousand Two Hundred Fifty Four Only)

Prescribed Format of Receipt of deposition of original EMD

(Receipt No/ date.....)

Name of work : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027**Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)**

1. NIT No. 42 /EEC/CCW/AKASHVANI/PUNE/2025-26 Dated : 25.03.2026
2. Estimated Cost : ₹ 28 23 254/-
3. Amount of Earnest Money Deposit : ₹ 56 465/-
4. Last date of submission of bid : on 06/04/2026 at 15.00 Hrs

Prescribed Format to be filed by EMD Receiving Officer

1. Name of Contractor *
2. Form of EMD *
3. Amount of Earnest Money Deposit *
4. Date of submission of EMD *

(* to be filled by EMD receiving DIVISION)

**Signature, Name and Designation
of EMD receiving Officer (EE / AE(P)/ AAO)
along with Office stamp**

- 1) The Authority receiving EMD in original form examines the EMD deposited by the bidder and issues receipt of deposition of earnest money to the agency in a given format uploaded by tender inviting authority. The receipt can also be issued by any subordinate gazetted authority as authorized by the EE/ Engineer in Charge /DDH.
- 2) The authority receiving original EMD also intimates tender inviting authority about deposition of EMD by the agency by email/fax/telephonically.
- 3) **The earnest money given by all the tenderers except the lowest tenderer shall be refunded immediately after the expiry of stipulated bid validity period or immediately after acceptance of the successful bidder, whichever is earlier. However, in case of two/ three bid system earnest money deposit of bidders unsuccessful during technical bid evaluation etc. should be returned within 30 days of declaration of result of technicalbid evaluation.**
- 4) The tender inviting authority calls for original EMD of the L1 tenderer from EMD receiving authority immediately.

PRASAR BHARATI
(INDIAS PUBLIC SERVICE BROADCASTER)
CIVIL CONSTRUCTION WING, AKASHVANI

State : **MAHARASHTRA**
Branch : AKASHVANI,CIVIL
Zone : WEST

Circle : MUMBAI
Division : PUNE
Sub-Division : PUNE- I

[Item Rate Tender & Contract for Works](#)

Name of work : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

To be **submitted online** through the website <https://prasarbharati.eproc.in> upto **15.00 hours** on **06/04/2026** to the Executive Engineer (Civil), Civil Construction Wing, AKASHVANI, Prasar Bharati (IPSB), Pune-16.

To be **opened online** at the website <https://prasarbharati.eproc.in> in presence of tenderers who may be present at **15.30 hours** on or after **06/04/2026** in the office of the Executive Engineer (Civil), Civil Construction Wing, AKASHVANI, Prasar Bharati (IPSB), Pune-16.

Tender to be submitted online at the website <https://prasarbharati.eproc.in> by the contractor

TENDER

I/We have read and examined the notice inviting tender, schedule A, B, C, D, E & F, specifications applicable, drawings & designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F', viz. Schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **30 (Thirty)** days from the due date of opening in case of single bid system from the date of opening of technical bid in case tenders are invited on 2 /3 bid/ system for specialised work and not to make any modification in its terms and conditions.

I/We have deposited EMD for the prescribed amount in the office of concerned Executive Engineer as per the bid document.

A copy of earnest money deposit receipt of prescribed amount deposited in the form of Insurance Surety Bonds / Account Payee Demand Draft / Fixed Deposit Receipt / Banker's Cheque or Bank Guarantee (as prescribed) issued by a Commercial Bank, is scanned and uploaded. If I/we, fail to furnish the prescribed performance guarantee within prescribed period, I/we agree that the said President of India or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely.

Further, if I/we fail to commence the work specified I/we agree that the said President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or

referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 (C) of the tender form.

Further, I/we agree that in case of forfeiture of Earnest Money or Performance Guarantee as aforesaid, I/we shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar works (s) has/have not been got executed through another contractor on back to back basis. Further that , if such a violation comes to the notice of Department , then I/We shall be debarred for tendering in CCW, AKASHVANI in future forever . Also , if such a violation comes to the notice of Department before date of start of work, the Engineer –in-charge shall be free to forfeit the entire amount of earnest money Deposit/Performance Guarantee

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/we am/are authorized to communicate the same or use the information in any manner prejudicial to the safety and integrity of the State.

Dated: _____

Signature of Contractor

Postal Address: _____

Witness:
Address:
Occupation:

Witness:
Address:
Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the President of India for a sum of ₹ (Rupees _____

_____)

The letters referred to below shall form part of this contract Agreement:

- i)
- ii)
- iii)

For and on behalf of the President of India,

Dated: _____

Signature: _____

Designation: **Executive Engineer (Civil)**
Civil Construction Wing
Akashvani, PB (IPSB)
PUNE-411016.

PROFORMA OF SCHEDULES

SCHEDULE 'A' TO 'F'

SCHEDULE 'A'

Schedule of quantities - **Enclosed** ✓

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

Sr. No.	Description of Item	Quantity	Rates in figures & words at at which the material will be charged to the Contractor	Place of issue
1	2	3	4	5
----- N I L -----				

SCHEDULE 'C'

Tools and Plants to be hired to the Contractor

Sr. No.	Description	Hire charges Per day	Place of Issue
1	2	3	4
----- N I L -----			

SCHEDULE 'D'

Extra Schedule for specific requirements/documents for the work, if any.

----- **N I L** -----

SCHEDULE 'E'

Reference to General Conditions of contract : Applicable GCC is CPWD General Conditions of contract ~~Construction~~/ maintenance Works 2023 as modified and corrected upto previous day of the last date of submission of the tender.

Name of work : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027.

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

Estimated cost of work : ₹ 28 23 254 /-

Earnest money : ₹ 56 465/- (to be returned after receiving Performance Guarantee)

**Performance guarantee : a) 5% of Tendered value or Estimated Cost Put to Tender (ECPT) whichever is higher.
b) Where tendered value is less than 80% of ECPT, the Performance Guarantee in addition to the requirement under a) above shall be increased by an amount equal to the difference between 80% of ECPT and the tendered amount**

Security Deposit : 2.5% of work done amount

SCHEDULE 'F'

General Rules & Directions:

Officer inviting Tender : Executive Engineer (Civil), CCW, Akashvani,
PrasarBharati (IPSB), Pune-16

Definitions :

- 2(vi) Engineer-in-Charge
: for Civil Work
Executive Engineer (Civil), CCW, Akashvani,
PrasarBharati (IPSB), Pune -16
~~For electrical work
Executive Engineer (Electrical), CCW, Akashvani,
PrasarBharati (IPSB), Mumbai-20~~
- 2(viii) Accepting Authority : Executive Engineer (Civil), CCW, Akashvani,
PrasarBharati (IPSB), Pune-16
- 2(x) Percentage on cost of materials and labour to cover all overheads and profits : 15%
- 2(x)(b) Standard Schedule of Rates : CPWD DSR 2023 with up to date
correction slips & Market Rates if any
- 2(xi) Department : Civil Construction Wing, Akashvani,
PrasarBharati (IPSB)
- 9(ii) Standard CPWD contract Form : General Conditions of Contract 2023 ~~Construction /~~
Maintenance work, CPWD Form 7 / 8 as modified &
corrected upto previous day of the last date of submission
of the tender

Clause 1

- i) Time allowed for submission of Performance Guarantee, programme chart (Time and progress) from the date of issue of letter of acceptance, in days : **7 (seven) days**
- ii) Maximum allowable extension with late fee @ 0.1% per day of Performance Guarantee amount beyond the period provided in (i) above : 7 (seven) days

Clause 2 Authority for fixing compensation : Superintending Engineer (Civil),
compensation under clause 2 Civil Construction Wing, PrasarBharati (IPSB),
Akashvani, Mumbai 20

Clause 2A Whether Clause 2A shall be applicable : ~~YES~~ / NO

Clause 5 Number of days from the date of issue of Letter of acceptance for reckoning date of start : **10 (Ten) days**

Milestones as per Table given below:

Sr. No.	Financial progress	Time allowed (from date of start)	Amount to be with-held in case of non-achievement of milestone
1	12.5% Value of the work	25% time limit of the work	In the event of not achieving the necessary progress as assessed from the running payments, 1.25% of the tendered value of work will be withheld for failure of each milestone.
2	37.50% Value of the work	50% time limit of the work	
3	75% Value of the work	75% time limit of the work	
4	100% Value of the work	100% time limit of the work	

Note: The withheld amount from monthly R.A. bills due to non-achievement of previous physical or financial mile stone may be released if the subsequent Physical or Financial mile stone is achieved in the specified time respectively.

Mile stones shall be applicable for Major Component (Civil Work) as well as for Minor Components (Electrical Works) of the work as attached. The main contractor will ensure that electrical components of the work are executed in time without giving any chance for slippages of mile stones on account of delay in execution of associated electrical work by him. However, in case mile stones are not achieved by the contractor for the work, the amount shown against milestone shall be withheld by the Executive Engineer-in-charge of the major component.

Time allowed for execution of work : **03 (Three) Months**

Authority to decide:

- (i) Authority to convey the decision of shifting of milestone and extension of time : Engineer-in-charge or Engineer-in-charge of major component in case of composite contract
- (ii) Authority to decide Rescheduling of Milestones and extension of time : Superintending Engineer (Civil) CCW PB (IPSB) Akashvani Mumbai
- (iii) Shifting of date of start in case of delay in handing over of site : Executive Engineer (Civil), CCW, Akashvani, Prasar Bharati (IPSB), Pune-16

Clause 6 : applicable
Computerised Measurement Book

Clause 7 Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment : ₹ 09.41 Lakhs ± Clause 12
No payment shall be made for work, estimated to cost ₹ **Twenty lakhs** or less till after the whole of the work shall have been completed and certificate of completion given.

Clause 7A Whether Clause 7A shall be applicable : Yes

Clause 10A List of the testing equipments to be provided by the contractor at site lab : As per ANNEXURE-Y

Clause 10B(ii) Whether clauses 10B(ii) shall be applicable : NO

Clause 10C Component of labour expressed as expressed as percent of value of work : 25%

Clause 10CA : **Not Applicable**

Clause 10CC Clause 10CC to be applicable in contracts with stipulated: **12 Months**
period of completion exceeding the period shown in next column

CLAUSE 10 CC	
Component of Civil	-Xm
(Except materials) Component of Civil	
Electrical construction Component of Civil	
of total value of work%
Component of Labour expressed as percent of total value of work	Y.....%
Component of POL expressed as percent of total value of work	Z.....%

Clause 11 Specifications to be followed for execution of work : CPWD book of Specifications 2019 Vol. I to II with upto-date correction slips execution of work and as per manufacturers specification and as per direction of Engineer-in-charge.

Clause 12 **Type of work** **Maintenance Work / ~~Construction Work~~**
 The completion cost shall, in no case, exceed 1.5 times the contract amount.
 Work executed beyond above limit will neither be recorded nor be paid

Deviation limit beyond which clauses 12.2 (C) shall apply for building work. : ~~400%~~ No Limit
 (i) Deviation limit beyond which clauses 12.2 (C) shall apply for foundation work. (except items mentioned in earth work subhead in DSR and related items) : ~~400%~~ No Limit
 (ii) Deviation limit for items mentioned in earth work subhead of DSR and related items. : ~~400%~~ No Limit

Clause 16 Competent authority for Deciding reduced rates : Upto 5% (five percent) of contract value by Superintending Engineer (C), CCW, Akashvani, Mumbai. Beyond that by Chief Engineer (C), CCW, Akashvani, New Delhi

Clause 18 List of mandatory machinery, tools & plants to be deployed by the contractor at site as per requirement.
 1 Concrete mixer 2 Needle Vibrator.
 3 Cutting and Bar Bending machine. 4 Road roller of 10 T for road work.

Clause 19 Authority to decide penalty for each default : Superintending Engineer (C), CCW, Akashvani, Mumbai 20.
C , D, G, K

Clause 25

Constitution of Dispute Reduessal Committee (DRC)	Competent Authority to appoint DRC
DRC shall constitute one Chairman and two members	Chief Engineer

Arbitrator Appointing Authority : The Chief Engineer (C), CCW, Akashvani, New Delhi

Place of Arbitration : Pune

Clause 32 **Requirement of Technical Representative (S) and recovery rate**

- (a) for works with estimated cost put to tender more than 15 lakhs to 150 lakhs for civil works : Graduate or retired AE
- (b) Discipline to which the Principal Representative should belong : Civil
- (c) Minimum Experience : Graduate Engineer : 2 years works
: Diploma Engineer : 5 years works
- (d) Recovery to be effected from the contractor in the event of not fulfilling provision of clause 32 : 30000.00 per month
- (e) Designation of Technical staff : Project Manager cum planning / quality/ site / billing Engineer

Note: Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma holder with minimum 10 year relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineers.

The bidder shall engage engineer from retired engineers from CCW / CPWD having knowledge of government i.e. CPWD pattern of working.

The agency shall submit the bills prepared/ verified by the engineer . In the absence of appropriate engineer, recovery/ deduction shall be made from agency's bill.

The agency shall get the design vetted/ modified from appropriate authority ie Govt Colleges/ NIT/ IIT etc to ensure structural stability.

Clause 38

i)(a) Schedule/statement for determining theoretical quantity of cement on the basis of Delhi Schedule of Rates **2023** printed by CPWD

ii) Variations permissible on theoretical quantities:

(a)	Cement	
	For works with estimated cost put to tender not more than Rs. 25 lakh.	3% plus/minus.
	For works with estimated cost put to tender more than Rs. 25 lakh.	2% plus/minus.
(b)	Bitumen All Works.	2.5% plus & only & nil on minus side
(c)	Steel Reinforcement and structural steel sections for each diameter, section and category	2% plus/minus
(d)	All other materials.	Nil

Recovery Rates for quantities beyond permissible variation:

Sr. No.	Description of item	Rates in figures and words at which recovery shall be made from the contractor	
		Excess beyond permissible variation	Less use beyond the permissible variation
1.	Cement	NIL	At maximum prevailing market rate during execution.
2.	Steel reinforcement	NIL	At maximum prevailing market rate during execution.
3.	Structural section	NIL	At maximum prevailing market rate during execution.
4.	Bitumen	NIL	At maximum prevailing market rate during execution.

ANNEXURE - Y

All necessary equipment for conducting all necessary tests shall be provided at the site in the well-furnished site laboratory by the contractor at his own cost with proper light and ventilation. The laboratory should be as per CPWD specification 2019 and the following minimum laboratory equipment shall be setup at site office laboratory:-

1. Slump cone, steel plate, tamping rod, steel scale, scoop
2. Weighing scale platform type 200 Kg capacity with least count 0.01kg
3. Graduated glass measuring cylinder As per requirement
4. Sets of sieves of 450mm internal dia for coarse aggregate [100mm, 80mm, 40mm; 20mm; 12.5mm, 10mm; 4.75mm complete with lid and pan]
5. Sets of sieves of 200mm internal dia for fine aggregate [4.75 mm; 2.36 mm; 1.18mm; 600microns; 300 microns & 150 micron, with lid and pan]
6. Motorized sieve shaker capable for 450/200 mm dia sieves
7. Cube moulds size 150mmx150mmx150mm As per requirement (Min 12 Nos)
8. Cube Compression testing machine ((Digital) (Min 2000 kg capacity)
9. Hot air oven temp. Range 50°C to 300°C-sensitivity 1 degree
10. Electronic balance 600gx0.1g., 10kg and 50kg 1 each
11. Physical balance weight upto 5kg
12. Measuring jars 100 ml, 200 ml, 500 ml As required (Min 2 each)
13. Gauging trowels 100 mm & 200 mm with wooden Handle As required (Min 2nos)
14. Spatula 100 mm & 200 mm with long blade wooden Handle As required (Min 2nos)
15. Vernier calipers 12" & 6" size (Digital) 3 each
16. Digital paint thickness meter for steel 500 micron Range
17. GI/ MS tray 600x450x50 mm, 450x300x40 mm, 300x250x40 mm 2No.
18. Screw gauge 0.1mm-10mm, least count 0.05(Digital)
19. Wash Bottles capacity 500 ml
20. As required Hacksaw 3 (a) Measuring tape Steel (5meter)
21. Digital distance meter, Steel tapes - 3 metres / 15 metres / 30 metres.
22. Shovels & Spade
23. Plastic or G.I. Buckets 15ltr, 10ltr, 5ltr
24. Wheel barrow 6
25. Floor Brushes, hair dusters, scrappers, wire brush, paint brushes, Shutter steel plate oil, kerosene with stove etc. 6 each
26. Compaction apparatus (proctor) as per IS 2720 part-VII-1974
27. Computer with Printer 1set or as required
28. Rebound Hammer set
29. Any other equipment for site tests as outlined in BIS codes and as directed by the Engineer-in-charge.

As per requirement The above list is only indicative and not exhaustive. The Bidder may be required to provide more laboratory testing equipment as per requirement of work.

GENERAL CONDITIONS

1. Contractors shall co-ordinate and co-operate with the other agencies e.g. Electrical & authorized representative of local bodies for construction of their respective items of work being executed simultaneously in the same building.
2. The contractor shall intimate to the Municipality, Police and other local authorities all notices etc. that may be required by law and obtain all requisite license, permission for temporary construction that may be required for execution of work, for obstruction in public places and pay all fines, taxes and charges which may be liable on account of their operation, in executing the contract. They shall make good any damage to adjoining property whether public or private and shall supply and maintain any light (either for illumination or for cautioning the public) required at night.
3. The contractor shall make his own arrangement for temporary electric connection at works, if required and make necessary payment for it directly to the department concerned. The wiring done by the contractor shall conform to the electrical regulation of statutory bodies and will be consistent with the safety requirements of the site. The Engineer-in-Charge's decision regarding the safety aspect shall be final and binding on the contractor.
4. The contractor shall provide adequate lighting arrangement as approved by the Engineer-in-Charge for carrying out the works during night times when required and also provide all other facilities for the labour employed to carry out the works without any extra charge. Necessary lighting as directed by the Engineer-in-Charge shall also be provided by the contractor without any extra charges for yard lighting as well as to cover the entire site including those required for safety and security reasons.
5. **RATES :**
 - i. The rates quoted by the contractor are deemed to be inclusive of site clearance, setting out work, profile, establishment of reference bench mark, spot levels, construction of all safety and protection devices, barriers, earth embankments, preparatory works, all testing of materials, working during monsoon, working at all depths, height and locations etc. unless specified in the schedule of quantities.
 - ii. Royalty at the prevailing rates wherever payable shall have to be paid by the contractor on the earth, boulders, metal, shingle, sand and bajri etc. Or any other material collected by him for the work direct to revenue authorities and nothing extra shall be paid by the department for the same.
 - iii. No payment shall be made for any damage caused by rain, snowfall, flood or any other natural calamity, whatsoever during the execution of the work. The contractor shall be fully responsible for any damage to the govt. property and work for which the payment has been advanced to him under the contract and he shall make good the same at his risk and cost. The contractor shall be fully responsible for safety and security of his material, T&P, Machinery brought to the site by him.
 - iv. The contractor shall deploy resources e.g. manpower, labour, T&P, Plant & Equipment etc. as per actual requirement of work. No damages/compensation shall be payable on account of idle manpower, labour, T&P, Plant and Equipment and loss of profit etc. for whatsoever reason.
 - v. The rates for all items of work shall, unless clearly specified otherwise, include cost of all labour, material, tools and plants and other inputs involved in the execution of the item.
 - vi. The contractor (s) shall quote all-inclusive rates against the items in the schedule of quantities and nothing extra shall be payable for any of the conditions and specifications mentioned. In the tender documents unless specifically specified otherwise.
 - vii. Unless otherwise specified in the schedule of quantities the rates for all items shall be considered as inclusive of pumping/baling out water, if necessary, for which no extra payment shall be made. Those conditions shall be considered to include water from any source such as inflow of flood, surface and sub-soil water etc. and shall apply to the execution in any season.
 - viii. Tendered rates shall be inclusive of all taxes and levies payable under the respective states including GST etc. Nothing extra will be paid on any account. As contractor's rates are inclusive of all taxes, no reimbursement of any tax shall be made to the contractor. The relevant clause of GCC of NIT/contract stands modified accordingly.
 - ix. The contractor's rate shall among other things include the cost of working in multiple shifts round the clock, if necessary including gazetted holiday and the cost of mobilization of all type of resources, T&P, lighting, etc.
6. **Testing :**

All the necessary assistance shall be provided by the contractor. All the tests in field lab at construction site shall be carried out by the Engineering staff deployed by the contractor and shall be 100% witnessed by JE and 50% of tests shall be witnessed by AE in-Charge. At least 10% of the tests

are to be witnessed by the Executive Engineer. Minimum 25% of all samples should be tested in outside approved laboratory/ Govt. Engineering colleges.

The water shall be tested by the contractor with regard to the suitability for use in RCC works and nothing extra shall be paid thereon.

All expenditure to be incurred for testing of samples e.g. packaging, sealing, transportation, loading, unloading etc. including testing charges shall be borne by the contractor and he shall be responsible for safe custody of samples to be tested at site/ outside laboratory. The testing shall mandatorily be carried out in the Laboratories setup by the Government Sector, Semi Government or NABL approved private sector. All Government Institutes, Indian Institutes of Technology, National Institutes of Technology, Central and State Research Centers, Centrally and State Funded Laboratories stands approved. No approval is required for Testing in these Laboratories / Institutes. However, the outside Private Laboratories shall be got approved from the Engineer-in-charge, if no approved labs as above is available within 200 kms. of the work site. A particular private lab shall be approved for specified tests and work / project. The approving authority will specify the tests while approving the Laboratories.

7. In case of any accident of labours/ contractual staff's the entire responsibility will rest on the part of the contractor and any compensation under such circumstances if becomes payable the same shall be entirely borne by the contractor and department shall have no role on this account.
8. Any taxes or levies imposed by Govt. of Maharashtra on works contract shall be recovered from the contractor's running bills and final bill as per rate fixed by the Maharashtra State Government from time to time during the currency of the contract.
9. TDS on income tax, labour cess and other statutory deductions shall be made at source as per prevalent laws. TDS on GST as & when becomes applicable will also be deducted as per relevant GST Act/ rules/ notification. State Government Maharashtra GST on works contract/Building and other Construction Workers Welfare.Cess and other applicable taxes/cess shall be recovered from the contractor's running bills as per rate fixed by the Maharashtra Government from time to time during the currency of the contract.
10. The tenderer shall ensure that benefit of Input tax credit (ITC) likely to be availed by them is duly considered by them while quoting rates.
11. The contractor shall submit the invoice of the work executed as per rule 46 of the CGST rules. The taxes will be calculated as per rule 35 of CGST Rules 2017.
12. Tenderer shall examine the various provisions of CGST Act, 2017 IGST Act, 2017/ UGST Act – 2017/ SGST Act 2017 of the respective state and up to date amendments issued from time to time and other applicable taxes before bidding/ tendering. The tenderer shall also confirm to the rules made under these Acts.
13. The GST has been implemented by the Government of India with effect from 1st July 2017. The rates quoted by the tenders, shall be firm and inclusive of all taxes including GST.
14. Steel shuttering shall be used in all the CC and RCC works.
15. The contractor shall leave such recesses, holes, openings etc. as may be required for electrical and sanitary works. No extra payment shall be made to him on this account.
16. The contractor shall make adequate fire fighting arrangement and shall be fully responsible for any fire consequences at the work site.
17. **Site Inspection** : The bidder should inspect and examine the subject site and its surrounding and satisfy himself as to the nature of the ground and sub-soil (so far as is practicable), the forms and nature of the site/ ourselves before submitting the bid, the accommodation which may require and all necessary information as to risks, contingencies and other circumstances which may influence or affect our bid have been obtained. The bidder shall have full knowledge of the site and no extra charge consequent upon any misunderstanding or otherwise shall be claimed in later date. The Agency shall visit the site of work before quoting, as no extra payment will be made on any account such as extra thickness of base course/depths and all height of buildings etc.

18. Where the contractor is required to provide materials of certain sizes or weights which may have become out of market due to change over to metric standards, substitute conforming to the nearest higher equivalents as approved by the Engineer-in-Charge shall be used. No claim of extra payment shall be entertained on this account.
19. All materials, articles and workmanship shall be the BEST of their respective kind for the class of work described in the contract, specification and schedule of quantities. All materials shall be subject to the approval of the Engineer-in-Charge. The word 'BEST' used in those specifications shall mean that in the opinion of the Engineer-in-Charge there is no superior quality of materials or finish of articles in the market available for the nature of the item described in the contract schedule. The Engineer-in-charge or his authorized representative shall have the absolute power to make the contractor purchase and use such materials of particular source as may, in his opinion, be necessary for proper compliance with the specification and execution of work.
20. Materials shall conform to CPWD specifications. No extra payment will be admissible to the agency for transportation of CPWD specified materials from any source within India. The agency's rate will be deemed to be included in the quoted rates.
21. **Wherever the word 'CPWD' refers in the printed book of 'General Conditions of Contract for Central P.W.D. Works', it may be read as 'CCW, AKASHVANI'.**
22. English version of the contract including corrections any shall deemed to be accepted for all contractual obligations.
23. Where the contractor is required to provide materials of certain sizes or weights which may have become out of market due to change over to metric standards, substitute conforming to the nearest higher equivalents as approved by the Engineer-in-Charge shall be used. No claim of extra payment shall be entertained on this account.

ADDITIONAL CONDITIONS

1. The contractor shall be entitled to invoke arbitration clause (or any other legal action) only after exhausting the remedy available under the Dispute Redress Committee, convened by the Chief Engineer, CCW, AKASHVANI, New Delhi.
Jurisdiction of Courts : The Court of the place from where the letter of award of work has been issued shall have the jurisdiction to decide any dispute arising out of or in respect of the contract.
2. The contractor shall arrange all major plant and equipment or any other machinery required, apart from the list as mentioned under clause 18 of Schedule-F, for execution for work, in good condition at appropriate time and nothing extra shall be paid on this account. However, this shall not relieve the contractor of any responsibilities to complete the work within the stipulated time.
3. Five years guarantee in prescribed pro forma attached must be given by the contractor for the water proofing treatment, In addition 10 % (Ten percent) of the cost of these items would be retained as guarantee to watch the performance of the work executed. However, half of this amount (withheld) would be release after two monsoon seasons after completion of the work, If the performance of work done is satisfactory. If any defect is noticed during the guarantee period, it should rectified by contractor within seven days & if not attended to, the same shall be got done by other agency at the risk & cost of the contractor. In any case, the guaranteeing firm during the guarantee period should inspect & examine the treatment once in every year & making good the defects observed. However, the security deposit can be released in full if bank guarantee of equivalent amount for five years is produced & deposited with the Engineer-in-Charge.
4. All type of security measures / precautions of labour shall be responsibility of Agency during execution of work, No extra payment will be made on any account.
5. The site is under security arrangement of **client department**. The contractor shall have to abide by their security rules and regulations. No extra claims on account of working in restricted hours, i.e. during night, or what so ever nature because of security constrains, rules and regulations of the Station authorities, shall be entertained later.
6. The contractor is to arrange for supply and storage of water, required for the work at their own cost. If contractor use water from common water supply within the campus, necessary water charges shall be recovered from bills payable to contractor.
7. Unless otherwise specified, CPWD specifications 2019 volume I & II with upto corrections slips shall be followed in general.
Any additional item of work if taken up subsequently, shall also conform to the relevant CPWD specifications mentioned above. If Should there be any difference between description of items as given in the schedule of quantities, nomenclature and specifications for individual items of work (special conditions) and I.S. Codes, work shall be got done in the following order of precedence :
I) Description of items as given in Schedules of quantities.
ii) Special conditions and particular specifications. iii) CPWD Specifications.
iv) I.S. Codes. V) National Building Code v) Decision of Engineer-in-Charge.
9. Speciman Form of Bank Guarantee for Earnest Money Deposit /Performance uarantee/Security Deposit/Mobilization Advance is provide on page 98, 99 of GCC 2023 Maintenance Works
10. Temporary barricading if any required during execution needs to be provided by the contractor to segregate the site from public / client department. Nothing extra shall be provided for such measures.
- 11 Maintenance of Site Registers:**
 - a. All the Site Registers including Tests registers for tests to be carried out at construction site or in outside laboratries shall be maintained by the contractor which shall be got printed by the contractor and shall be got issued by the contractor from office of Engineer-in-charge in the same manner as being issued to CPWD field staff. Format of registers is provided in Standard Operating Procedures (SOPs) 2024 Annexures 28 to 31.

- b. The various registers to be issued to the contractor are:
- | | | |
|---|-----------------------|-----------------------|
| i Materials at site account register | ii Cement register | iii Steel register |
| iv Site order book | v Inspection register | vi Hindrance register |
| vii Master test registers | viii Paint register | ix Drawing register |
| x Any other register directed by the Engineer-in-charge | | |

Contractor shall be responsible for safe custody of all the test registers.

- c. All the entries in the registers will be made by the designated Engineering Staff of the contractor and same should be regularly reviewed by JE / AE / EE.
- d. All samples of materials including cement concrete cubes shall be taken jointly by the contractor in presence of JE and out of this at least 50% samples shall be taken in presence of AE in charge. If there is no JE, all samples of materials including cement concrete cubes shall be taken by AE jointly with contractor.

Green Building Norms:-

The building is planned as minimum three star GRIHA rating. The contractor is required to execute the work in a befitting manner to suit these standards.

Construction Vehicles, Equipment and Machinery a) All vehicles, equipment and machinery to be procured for construction shall conform to the relevant Bureau of India Standard (BIS) norms. b) Emission from the vehicles must conform to environmental norms. c) Dust produced from the vehicular movement and other site activities is to be mitigated by sprinkling of water. d) Noise limits for construction equipment shall not exceed 75 dB(A), measured at one meter from the edge of the equipment in free area, as specified in the Environment Protection Act, 1986, schedule VI part E, as amended on 9th May, 1993.

The maximum noise levels near the construction site should be limited to 65 dB in project area.

Construction Wastes Disposal : The pre-identified dump locations will be a part of solid waste management plan to be prepared by the Contractor in consultation with Engineer-in-charge. Contractor shall get approved the location of disposal site prior to commencement of the excavation on any section of the project location. Contractor shall ensure that any spoils of material / construction waste will not be disposed off in any municipality solid waste collection bins.

Procurement of Construction Materials : (i) All vehicles delivering construction materials to the site shall be covered to avoid spillage of materials and maintain cleanliness of the roads. (ii) Wheel Tyres of all vehicles used by of the contractor, or any of his sub contractor or materials suppliers shall be cleaned and washed clear of all dust/mud before leaving the project premises. This shall be done by routing the vehicles through tyre washing tracks. (iii) Contractor shall arrange for regular water sprinkling at least twice a day (i.e. morning and evening) for dust suppression of the construction sites and unpaved roads used by his construction vehicles.

Water Pollution (i) The Contractor shall take all precautionary measures to prevent the wastewater during construction to accumulate anywhere. The wastewater arising from the project is to be disposed off in the manner that is acceptable to the Engineer –in-charge.

Air and Noise Pollution Contractor shall use dust screens and sprinkle water around the construction site to arrest spreading of dust in the air and surrounding areas. a. Contractor shall ensure that all vehicles, equipment and machinery used for construction are regularly maintained and confirm that emission levels comply with environmental emission standards/norms. b. For controlling the noise from Vehicles, Plants and Equipments, the Contractor shall confirm the following: c. All vehicles and equipment used in construction will be fitted with exhaust silencers. d. Servicing of all construction vehicles and machinery will be done regularly and during routine servicing operations, the effectiveness of exhaust silencers will be checked and if found defective will be replaced. e. Noise emission from compactors (rollers) front loaders, concrete mixers, cranes (movable), vibrators and saws should be less than 75 dB(A). f. As per the standards/guidelines for control of Noise Pollution from Stationary Diesel Generator (DG) sets, noise emission in dB(A) from DG Set (15-500 KVA) should be less than $94+10 \log_{10} (KVA)$. The standards also suggest construction of acoustic enclosure around the DG Set and provision of proper exhaust muffler with insertion loss of minimum 25 dB(A) as mandatory.

Update vehicular roads (if these are unpaved) by increasing the surface strength by improving particle size, shape and mineral type that make up the surface base. Add surface gravel to reduce source of dust emission. Limit amount of fine particles (smaller than 0.075mm) to 10 - 20%. Limit vehicular speed on site 10km/h.

All material storages should be adequately covered and contained so that they are not exposed to situations where winds on site could lead to dust/particulate emissions. Spills of dirt or dusty materials shall be cleaned up promptly so the spilled material does not become a source of fugitive dust and also to prevent of seepage of pollutant laden water into the ground aquifers. When cleaning up the spill, ensure that the clean – up process does not generate additional dust. Similarly, spilled concrete slurries or liquid wastes should be contained/cleaned up immediately before they can infiltrate into the soil/ground or runoff in nearby areas. Ensure that water spraying is carried out by wetting the surface by spraying water on any dusty material in areas where demolition work is carried out, any unpaved main-haul road and areas where excavation or earth moving activities are to be carried out.

The contractor shall ensure the following: Cover and enclose the site by providing dust screen, sheeting or netting to scaffold along the perimeter of a building. Covering stockpiles of dusty material with impervious sheeting. Covering dusty load on vehicles by impervious sheeting before they leave the site. Transferring, handling / storing dry loose materials like bulk cement and dry pulverized fly ash inside a totally enclosed

system. Spills of dirt or dusty materials shall be cleaned up promptly so that the spilled material does not become a source of fugitive dust and also to prevent seepage of pollutant laden water into the ground aquifers. When cleaning up the spill, ensure that the clean up process does not generate additional dust. Similarly, spilled concrete slurries or liquid wastes should be contained / cleaned up immediately before they can infiltrate into the soil/ground or runoff in nearby areas. Clear vegetation only from areas where work will start right away.

Adopt measures to prevent air pollution in the vicinity of the site due to construction activities. There is no standard reference for this. The best practices should be followed (as adopted from international best practice documents and codes). Provide sheet covering / barricading of site of not less than 3m height along the site boundary, next to a road or other public area.

The contractor shall provide experienced personnel with suitable training to ensure that these methods are implemented. Prior to the commencement of any work, the method of working, plant equipment and air pollution control system to be used on –site should be made available for the inspection and approval of the Engineer –in-Charge to ensure that these are suitable for the project.

Employ measures to segregate the waste on-site into inert, chemical or hazardous wastes. Recycle the unused chemical/hazardous wastes such as oil, paint, batteries and asbestos. The inert waste is to be disposed off to Municipal Corporation/local bodies dump yard and landfill sites.

To preserve the existing landscape and protect it from degradation during the process of construction. Select proper timing for construction activity to minimize the disturbance such as soil pollution due to spilling of the construction material and its mixing with rainwater. The construction management plan including soil erosion control management plan shall be prepared accordingly for each month. The application of erosion control measures includes construction of gravel pits and tyre washing bays of approved size and specification for all vehicular site entry/exits, protection of slopes greater than 10%. Sedimentation Collection System and run-off diversion systems shall be in place before the commencement of construction activity. Preserve and protect the existing vegetation by not-disturbing or damaging to specified site areas during construction.

The Contractor should follow the construction plan as proposed by the Engineer-in-charge / landscape consultant to minimize the site disturbance such as soil pollution due to spilling. Use staging and spill prevention and control plan to restrict the spilling of the contaminating material on site. Spill prevention and control plans should clearly state measures to stop the source of the spill. Measures to contain the spill and measures to dispose the contaminated material and hazardous wastes. It should also state the designation of personnel trained to prevent and control spills, Hazardous wastes include pesticides, paints, cleaners and petroleum products.

A soil Erosion and Sedimentation Control Plan (ESCP) should be prepared prior to construction and should be applied effectively. The contractor shall prepare and submit 'Spill prevention and control plans' before the start of construction, clearly stating measures to stop the source of the spill, to contain the spill, to dispose the contaminated material and hazardous wastes, and stating designation of personnel trained to prevent and control spills. Hazardous wastes include pesticides, paints, cleaners, and petroleum products.

The contractor shall ensure that no construction leaches (Ex: cement slurry) is allowed to percolate into the ground. Adequate precautions are to be taken to safeguard against this including reduction of wasteful curing processes, collection, basic filtering and reuse. The contractor shall follow requisite measures for collecting drainage water run-off from construction areas and material storage sites and diverting water flow away from such polluted areas. Temporary drainage channels, perimeter dike/swale, etc. shall be constructed to carry the pollutant –laden water directly to the treatment device or facility (municipal sewer line).

Nothing extra shall be payable for above provisions unless otherwise specified in Schedule of Quantity

INTEGRAL WATER PROOF FINISHING

The Contractor must associate himself with the specialized firm to be approved by the Engineer-in-Charge in writing, for integral cement based water proofing treatment for sunken floors and on roofs. 5 years guarantee in prescribed Performa attached must be given by the specialized firm, which shall be countersigned by the contractor, in token of his overall responsibility. While tendering, the contractor must give:

- i. The name of the specialized firm.
- ii. The trade names of the product which would be used.
- iii. List of works where this treatment has been used.
- iv. Quantity of chlorides and sulphides used in the product.

A separate quantity account of water proofing compound brought to site and daily consumed on the water proofing job shall be maintained jointly by Engineer- in-charge and contractor.

A separate water proofing compound consumption register shall be maintained theoretically checked and recorded with every bill.

Empty container register shall also be kept at site.

Contractor shall give a guarantee that they shall be responsible for removal of any defect cropping up in the water proofing work executed by them within the guarantee period. The form of the guarantee to be executed by the contractor is given as below.

GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS.

This agreement made this _____ day of _____ two thousand seven
_____ between

(Hereinafter called the Guarantor of the one part) and the PRESIDENT OF INDIA (hereinafter called the Government of the other part).

Whereas this agreement is supplementary to a contract (hereinafter called the contract) _____ and made between the guarantor OF THE ONE part and the government of the other part, whereby the contractor inter alla, undertook to render the building and structures in the said contract recited completely water and leak-proof.

And where as the guarantor, agreed to give an guarantee to the effect that the said structures will remain water and leak proof for five years from the date of giving of water proofing treatment.

Now the guarantor hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to reckoned from the date after the maintenance period prescribed in the contract.

Providing that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alternation and for such purpose.

- a) Misuse of roof shall mean any operation which will damage water proofing treatment, like chopping of fire wood and things of same nature which might cause damage to the roof.
- b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to exiting roof where by proofing treatment is removed in parts.
- c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

During this the guarantee, the Guarantor shall make good all defects and in case of any defect being found render the building waterproof to this satisfaction of the Engineer-in-Charge at his cost and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects failing which the work shall be got done by the department by some other contractor at the guarantor's cost and risk. The decision of Engineer-in-Charge as to the cost payable by the Guarantor shall be final and binding.

That if Guarantor fails to execute the water proofing or commits breach there under then the guarantor will indemnify the Principal and his by reason of any default on the part of GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government, the decision of the Engineer-in-charge will be final and binding on the parties.

In witness where of these presents have been executed by the Obligor -----
-and by the Executive Engineer (C), CCW, AKASHVANI, PUNE and for and on behalf of the President of India on the day, month and year first above written.

Signed, sealed and delivered by Obligor in the presence of

- 1.
- 2.

Signed for and on behalf of the President of India by the Executive Engineer (C), CCW, AKASHVANI, PUNE.
in presence of :

- 1.
- 2.

CONDITION OF MATERIALS ARRANGED BY THE CONTRACTOR

I. CONDITIONS FOR CEMENT

1. The contractor shall procure 33 grade (conforming to IS 269) or 43 / 53 grade (conforming to IS 8112) ordinary Portland cement or Portland pozolana cement (conforming to IS 1489), as required in the work, from reputed manufacturers from reputed manufacturers of cement as mentioned in the list of approved make of materials.
2. Supply of cement shall be taken in 50 kg bags bearing manufacture's name and ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of relevant BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within, a week's time of written order from the Engineer-in-Charge to do so.
3. The cement shall be brought at site in bulk supply of approximately 50 tones or as decide by the Engineer-in-Charge.

The cement go down of the capacity to store a minimum of 2000 bags of cement shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provision shall be made to the door of the cement go down. The keys of one lock shall remain with the Engineer-in-Charge or his authorised representative and the keys of the other lock shall remain with contractor. contractor shall be responsible for the watch and ward and safety of the cement go down by the Engineer-in-Charge at and time. The day to day receipts and issue of cement shall be governed as per direction of Engineer-in-Charge.

4. The cement shall be got tested by Engineer-in-Charge and shall be used on work only, after test results have been received. The contractor shall supply free of charge the cement required have been received. The cost of test shall be borne by the contractor.
5. The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in relevant clause of the contract and shall be governed by conditions laid therein.
6. Damaged cement shall be removed from site immediately by the contractor on receipt of a notice in writing from the Engineer-in-Charge. If he does not do so with in three days of the receipt of such notice, the Engineer-in-Charge shall get it removed at the cost of the contractor.
7. The cement and steel required to complete the work shall be arranged by the Contractor. The quantities herein above are only tentative and may vary as per drawing and designs. Condition of cement and steel enclosed. The contractor is required to produce the proof of the purchase of cement and steel as and when desired by the Engineer-in-charge.
- 8.

II. CONDITIONS FOR STEEL

1. The contractor shall procure Thermo Mechanically Treated /~~cold twisted~~/ steel reinforcement bars conforming to relevant BIS codes from main producers as approved by the Ministry of steel and secondary producers or re-rollers having valid BIS license. For TMT bars conforming to relevant BIS code, procurement shall be made from main producers and secondary producers having valid BIS license. The contractor shall have to obtain, and furnish test certificates to the Engineer-in-Charge in respect of all supplies of steel brought by him to the site of work. Sample shall also be taken and got tested by the Engineer-in-Charge as per the provisions in the regard in relevant BIS codes. In case the test results indicated that the same shall stand rejected and shall be removed from the site of work by the contractor at his cost within a week time from written orders from the Engineer-in-Charge to do so.
2. The steel reinforcement shall be brought to the site in bulk supply of 10 tonnes or more or as decided by the Engineer-in-Charge.
3. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and lengths shall be stored separately to facilitate easy counting and checking.
4. For checking nominal mass, tensile strength, bend test, re-bend test etc. specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than the specified below:

Size of Bar	For Consignment below 100 Tonnes	For Consignment above 100 Tonnes
Under 10mm dia. bars	One sample for each 25 tonnes or part thereof	One sample for each 40 tonnes or part thereof
10mm to 16mm dia. bars	One sample for each 35 tonnes or part thereof	One sample for each 45 tonnes or part thereof
Over 16mm dia. bars	One sample for each 45 tonnes or part thereof	One sample for each 50 tonnes or part thereof

5. The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in relevant clause of the contract and shall be governed by conditions laid therein.
6. Steel brought to site and steel remaining unused shall not be removed from site without the written permission of the Engineer-in-Charge.
7. The standard sectional weights referred to as in Table 5.4 under para 5.3.4 ,page-140 , in CPWD specifications for works 2019 Vol.1 will be considered for conversion of length of various sizes of MS bars, Tor steel bars and TMT bars into standard weight.

**LIST OF APPROVED MAKE OF MATERIALS
(FOR CIVIL WORKS)**

MATERIALS	APPROVED MAKE
Cement – OPC / PPC	ACC, Ultratech, Shree Cement, Birla, Ambuja, Vikram
White Cement	JK , BIRLA
<i>Cement Based Wall putty</i>	<i>Birla wallcare,JK White ,Berger, AsianPaints</i>
Steel Reinforcement	SAIL, TISCO, Rashtriya Ispat Nigam Limited(RINL), JINDAL STEEL & POWER LTD, JSW STEEL LTD.,
Mechanical Splicing System with coupler	SPLICETEK INDIA, DEXTRA INDIA, ISHITA ENTERPRISES, SPLICEMAN
Ready Mix Concrete	ACC, Ultratech, RMC India, Techno, PRISM JOHNSON RMC, GODREJ, JSW, NUVOCO (LAFARGE)
Aluminium Section	Hindalco / Jindal / Indalco (Powder Coating as per approval of Engineer-in-Charge)
Structural Steel/Tubes	Tata Steel, SAIL, RINL, Jindal, JSPL, APL, Apollo
Plasticizer, SuperPlasticizer, Admixtures, Other construction chemicals	MC Bauchemie, Sika, Fosroc, BASF, Dr.Fixit, CICO, Asian paints, Sunanda SCPL, laticrete, SICA, STP ltd., MC BAUCHEMIE
AAC Blocks	ULTRATECH, BILTech, SIPOREX, Ecolite, Aerocon, ACC, BILT, WONDER, ECOGREEN, Gogrej, ULTRATECH, (Only ISI Marked Blocks shall be used)
<i>ACC Block Adhesive / Tile adhesive</i>	<i>ACC, ULTRATECH, J.K., FERROUSCRETEM, BAL ENDURA, AEROCON, ARDEX, ENDURA , Fosroc, BASF</i>
Plywood, Block board, flush doors	KENWOOD, ANCHOR, KUTTY, GREENPLY, ORIENT, KALPATARU, ARCHID, CENTURY (Only ISI marked doors and from OEM plant having valid IS Certification)
<i>Metal-Fire rated Door Shutters</i>	<i>Signum, Adhunik, Big Tech, Adhunik, Nivara Technology, Bawaich, Godrei, Sukri, Bhawani, Basu, Fire, Shakti, MetOzone, Alada</i>
<i>Clear / Float / Frosted Glass / Mirror</i>	<i>ST. GOBAN, MODIGLARA, ASAHI, PILKINGTON</i>
Parallel Threaded Couplers	DEXTRA, G-TECH, Spplcetek, ISHITA
SS Cramp & Dash Fastner	Hilty, Fisher, Canon
CC Paver Block M-30 or any other Grade	M/s Dalal Tiles Industries, JCC tiles precast Ltd., NTC./Coral/Sneh/Creative
Stainless Steel	Selam steel, Jindal, Kich / Fitwell / Arch
<i>Steel Primer (RedOxide / Zinc Chromate Primer)</i>	<i>Asianpaints, Berger, ICI, NEROLAC</i>
Synthetic enamel paint	Luxol hi gloss brand of Berger paints, apcolite brand of Asian Paints, Nerolac Brand of good lass Nerolac paints.
Plastic emulsion paint	Luxol SILK brand, RANGOLI BRAND of berger paints, Royal Brand of Asian Paints, Nerolac Brand of goodlass Nerolac paints.
<i>Premium Acrylic Emulsion Paints (Interior)</i>	<i>AsianPaints : Royal Luxury Emulsion, Nerolac : Impression Berger : Silk , ICI-Dulux : Velvet touch</i>
Oil bound distemper	Bison brand of Berger paints, Tractor brand of Asian Paints, solder brand of goodlass Nerolac paints.
Exterior Paint	Snowcem India Ltd., Asian paints, Johnson & Nicolson
Cement Primer	Klick Nixon, Farco Brand of ICI, Asian Paints
<i>Textured Exterior Paint</i>	<i>Asianpaints, Nerolac, BergerPaints, UltratechPaints, Luxture, SPECTRUM, INSPIRA.</i>

Acrylic Smooth Exterior Paint	Asian Paints :(Apex/Professional PremiumExteriorEmulsion), Nerolac:XL , Berger : weatherCoat, PEARL : PEARL-ULTIMA(Advance Anti-Algal WeatherProof Paint), ICI-Dulux : WeatherShield
Premium Acrylic Smooth Exterior Paintwith Silicon additive	AsianPaints : ApexUltima, Nerolac : XLTotal Berger : weather Coat allguard, ICI-Dulux : WeatherShield max
Vitreous China Wares	Hind Ware / Jaquar / Duravit
Stainless Steel Sink	Neel Kanth / Jayana / Nirali
C.P. Brass Fittings (ISI Marked), Brass Stop / Bib Cock	Jaquar (ESSCO series) / Marc / Hindware / Sieko
SCI / CI Pipes, Fittings	SRF / NECO / SKF
GI Pipes	Jindal / Prakash / Tata / Apolo
PVC Tanks	Sintex / Shital / Rotax
GI Fittings	Unik / KM
Ball Valve & Plates	LINK / LEADER / PRIMA
Gun Metal Valve	Sant / Leader / ZOLOTO
SW Pipes	Anand / Perfect
Floor & Wall Tiles : Ceramic / rectified / Vitrified tiles	KAJARIA, H R JOHNSON, NITCO, SOMANY, RAK, Orient,
Vitreous Chinaware sanitary work	Parryware, Hindware, Dovel, Jaquar, Cera
G I Pipes	Zenith / Tata / Jindal, SURYA, ASIAN
UPVC/CPVCPipe&Fittings	Finolex, Supreme, Prince, Astral, Ashirwad, Raksha.
PTMT (ISI Marked only)	Prayag, Polytuf
Rust remover, Rust passivator	Sunanda SCPL, Dr. Fixit
CI Manhole Cover & Frame	RIF, Kajero, Neco
Calcium Silicate False Ceiling	Aerolite, Armstrong, Llyod
APP membrane 3 mm Thick	TICKY DAN, Asian Paints, STP LTD, PIDLITE

Specification/brands names of materials (refer materials, whichever are applicable for the scope of work) and finishes approved by the Architect/engineer-in-Charge are listed above. However approved equivalent materials and finishes of any other specialized firms may be used, in case it is established that the brands specified above are not available in the market and suo moto approval of the alternate brand by the Architect / Engineer-in-Charge.

1. All other items shall be of ISI / BIS Mark as per approved sample kept at site of work.
2. The contractor shall provide the materials as per the make or brand indicated above. When two or more alternative/brands have been mentioned, the brand selected by the Engineer-in-Charge shall be final and binding.

SCHEDULE OF QUANTITY

NAME OF WORK : Annual Repairs and Maintenance of FTII,Pune for the year 2026-2027

Sub-Head : Day to day maintenance of Non-residential buildings at FTII and Residential buildings at Law College Road & New Land Site, FTII, Pune. (for the period April 2026 to June 2026)

Name of the Tenderer's Firm (Agency):-

Address/Contact No./Email of the Firm:-

SLNo	Description	Qty	Unit	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1.1	All kinds of soil.	5	cum		0.00
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
2.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	1	cum		0.00
2.2	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	1	cum		0.00
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
3.1	Cement mortar 1:6(1 cement :6 coarse sand)	1	cum		0.00
4	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.				

4.1	Granite stone slab of colour black, Cherry/Ruby red				
4.1.1	Area of slab upto 0.50 sqm	2	sqm		0.00
5	Extra for fixing marble /granite stone, over and above corresponding basic item, in fascia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	3	metre		0.00
6	Providing and fixing Kadapah stone slab 25 to 40 mm thick with table rubbed, fixed in wall by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.	5	sqm		0.00
7	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
7.1	Second class teak wood	0.04	cum		0.00
8	Providing and fixing chromium plated brass curtain rod having wall thickness of 1.25 mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete:				
8.1	25 mm dia	10	metre		0.00
9	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
9.1	Fixed to openings /wooden frames with rawl plugs screws etc.	50	kg		0.00
10	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.				
10.1	With 12 mm mild steel U beading	2	sqm		0.00
11	Providing and fixing plain lining with necessary screws/nuts & bolts/ nails, including a coat of approved primer on one face, and fixed on wooden /steel frame work, complete as per direction of Engineer-in-charge (Frame work shall be paid for separately).				
11.1	12 mm thick commercial ply conforming to IS : 1328 BWR type	2	sqm		0.00
12	Providing and fixing 18 mm thick commercial ply as per IS 710 of approved brand boxes,shelves,racks,almirah,cupboard and drawer etc. including necessary nails,screws etc. complete as per direction of Engineer-in-charge.	5	sqm		0.00

13	Supplying magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete. a) Double strip (horizontal type)	10	each		0.00
14	Supplying aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : a) 250x16 mm	10	each		0.00
15	Supplying aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : a) 200x10 mm	5	each		0.00
16	Supplying aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : a) 125 mm	10	each		0.00
17	Supplying carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm ²), counter sunk head, comprising of 10 m dia polyamide PA 6 grade sleeve, including drilling of hole in frame , concrete/ masonry, etc. as per direction of Engineer-in-charge. a) 10x80 mm	10	each		0.00
18	Supplying aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. a) Twin rubber stopper	10	each		0.00
19	Supplying bright finished brass 100 mm mortice latch and lock, ISI marked, with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS : 1868) aluminium lever handles of approved quality with necessary screws etc. complete.	5	each		0.00
20	Supplying aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	15	each		0.00

21	Supplying bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. a) 125 mm	10	each		0.00
22	Supplying of 200 mm stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.	5	each		0.00
23	Supplying of stainless steel soft closing spring hinges at 0 degree hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge.	5	each		0.00
24	Supplying of stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per direction of Engineer- in-charge.	5	each pair		0.00
25	Supplying of 150 mm bright finished brass single acting spring hinges with necessary brass screws etc. complete :	2	each		0.00
26	Supplying bright finished hasp and staple (safety type) with necessary screws etc. complete a) 150 mm	10	each		0.00
27	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	40	kg		0.00
28	Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with:				
28.1	4.0 mm thick glass panes	2	sqm		0.00
29	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement :4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	8	sqm		0.00
30	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	30	sqm		0.00

31	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.				
31.1	Double charge vitrified tile polished finish of size				
31.1.1	Size of Tile 600 x 600 mm	5	sqm		0.00
32	Deduct for not using 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) bedding in laying of floor tiles and jointing with grey cement slurry @ 3.3 kg/ sqm.	-5	sqm		0.00
33	Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477, in average 3 mm thickness.	5	sqm		0.00
34	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.				
34.1	Size of Tile 600x600 mm	1	sqm		0.00
35	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
35.1	75 mm diameter	6	metre		0.00
35.2	110 mm diameter	6	metre		0.00
36	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion.				
36.1	Single tee with door				
36.1.1	75x75x75 mm	2	each		0.00
36.1.2	110x110x110 mm	2	each		0.00
36.2	Bend 87.5°				
36.2.1	75 mm bend	4	each		0.00

36.2.2	110 mm bend	4	each		0.00
36.3	Shoe (Plain)				
36.3.1	110 mm Shoe	4	each		0.00
37	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
37.1	75 mm	5	each		0.00
37.2	110 mm	5	each		0.00
38	15 mm cement plaster on rough side of single or half brick wall of mix:				
38.1	1:4(1 cement: 4 coarse sand)	20	sqm		0.00
39	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour:				
39.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	1000	sqm		0.00
40	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
40.1	Two or more coats on new work	500	sqm		0.00
41	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	1500	sqm		0.00
42	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.				
42.1	One coat	500	sqm		0.00
42.2	Two coats	2000	sqm		0.00
43	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.				
43.1	With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	2000	sqm		0.00
44	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
44.1	One or more coats on old work	1000	sqm		0.00
45	French spirit polishing :				

45.1	One or more coats on old work	50	sqm		0.00
46	Finishing walls with Acrylic Smooth exterior paint of required shade:				
46.1	Old work (Two or more coat applied @ 1.67 Itr/ 10 sqm) on existing cement paint surface	2000	sqm		0.00
47	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.				
47.1	With cement mortar 1:4 (1cement: 4 coarse sand)	5	sqm		0.00
48	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:				
48.1	Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	2	sqm		0.00
49	Renewal of old putty of glass panes (length)	20	metre		0.00
50	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube chalties, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done.	25	sqm		0.00
51	Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge.	30	each		0.00
52	Cleaning of chocked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150 mm dia upto 300 mm	415	metre		0.00

53	Dismantling W.C. Pan of all sizes including disposal of dismantled materials including malba all complete as per directions of Engineer-in-Charge.	10	each		0.00
54	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineer-in-Charge. (a) Internal Work- Exposed on wall	10	metre		0.00
55	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	5	each		0.00
56	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				0.00
56.1	For thickness of tiles 10 mm to 25 mm	50	sqm		0.00
57	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	20	each		0.00
58	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer- in-charge.	10	sqm		0.00
59	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	20	cum		0.00
60	Providing and fixing white vitreous china water closet squatting pan (Indian type) :				
60.1	Orissa pattern W.C. pan of size 580x440 mm	1	each		0.00
61	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	10	each		0.00
62	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.	2	each		0.00
63	Providing and fixing white vitreous china wash basin including making all connections but excluding the cost of fittings :				
63.1	Flat back wash basin of size 550x400 mm	3	each		0.00
64	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	15	each		0.00

65	Supplying PVC trap of self cleansing design with screwed down or hinged grating with or without vent arm complete a) 110 mm inlet and 75 mm outlet	5	each		0.00
66	Supplying CP brass Syphon	2	each		0.00
67	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall				
67.1	20 mm nominal dia Pipes	10	metre		0.00
67.2	25 mm nominal dia Pipes	10	metre		0.00
68	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall				
68.1	15 mm dia nominal bore	6	metre		0.00
68.2	20 mm dia nominal bore	6	metre		0.00
68.3	25 mm dia nominal bore	6	metre		0.00
69	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete :				
69.1	25 to 40 mm nominal bore	2	each		0.00
70	Supplying P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. a) 10 litre capacity-White	20	each		0.00
71	Supplying P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. a) Flexible pipe i) 32 mm dia	30	each		0.00
72	Supplying P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. a) Flexible pipe i) 40 mm dia	30	each		0.00
73	Supplying toilet paper holder : a) C P brass	5	each		0.00

74	Supplying solid plastic seat with lid for pedestal type W.C. pan complete : a) White solid plastic seat with lid	10	each		0.00
75	Supplying PTMT grating of approved quality and colour. a) Rectangular type with openable circular lid i) 150 mm nominal size square 100 mm diameter of the inner hinged round grating	10	each		0.00
76	Supplying of PTMT 32 mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge.	2	each		0.00
77	Supplying of CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia	2	each		0.00
78	Supplying uplasticised PVC connection pipe with brass unions : a) 45 cm length i) 15 mm nominal bore	40	each		0.00
79	Supplying G.I. Union: a) 15 mm nominal bore	3	each		0.00
80	Supplying G.I. Union: a) 20 mm nominal bore	3	each		0.00
81	Supplying G.I. Union : a) 25 mm nominal bore	3	each		0.00
82	Supplying G.I. Union : a) 40 mm nominal bore	2	each		0.00
83	Supplying G.I. Union : a) 50 mm nominal bore	2	each		0.00
84	Supplying gun metal gate valve with C.I. wheel of approved quality (screwed end) : a) 20 mm nominal bore	5	each		0.00
85	Supplying gun metal gate valve with C.I. wheel of approved quality (screwed end) : a) 25 mm nominal bore	10	each		0.00
86	Supplying gun metal gate valve with C.I. wheel of approved quality (screwed end) : a) 40 mm nominal bore	2	each		0.00

87	Supplying gun metal gate valve with C.I. wheel of approved quality (screwed end) : a) 50 mm nominal bore	2	each		0.00
88	Supplying PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./H.P.H.D. plastic ball. a) 15 mm nominal bore, 105 mm long, weighing not less than 138 gms	5	each		0.00
89	Supplying PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./H.P.H.D. plastic ball. a) 20 mm nominal bore, 120 mm long, weighing not less than 198 gms	5	each		0.00
90	Supplying PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./H.P.H.D. plastic ball. a) 25 mm nominal bore, 152mm long, weighing not less than 440 gms	5	each		0.00
91	Supplying C.P.brass stop cock of approved quality : a) 15 mm nominal bore	15	each		0.00
92	Supplying C.P. brass bib cock of approved quality conforming to IS:8931 : a) 15 mm nominal bore	25	each		0.00
93	Supplying C.P. brass long nose bib cock of approved quality conforming to IS:8931 : a) 15 mm nominal bore	10	each		0.00
94	Supplying C.P. brass long body bib cock of approved quality conforming to IS:8931 : a) 15 mm nominal bore	10	each		0.00
95	Supplying C.P. brass shower rose with 15 or 20 mm inlet : a) 100 mm diameter	5	each		0.00
96	Supplying of 15 mm diameter C.P. brass pillar taps	5	each		0.00
97	Supplying C.P brass waste coupling 40 mm of approved quality to kitchen sink complete as per the direction of Engineer-in-charge.	5	each		0.00
98	Supplying 32 mm C.P brass waste coupling of approved quality to wash basin complete as per the direction of Engineer-in-charge.	5	each		0.00

99	Supplying G.I. socket/G.I. elbow/G.I. tee/G.I. double nipple of ISI mark : a) 15 mm nominal bore	40	each		0.00
100	Supplying G.I. socket/G.I. elbow/G.I. tee/G.I. double nipple of ISI mark : a) 25 mm nominal bore	40	each		0.00
101	Supplying 15 mm nominal bore C.P.brass push cock of approved quality :	10	each		0.00
102	Supplying 15 mm C.P. brass health faucet with coil pipe and clamp etc. complete as per the direction of Engineer-in-charge.	20	each		0.00
103	Supplying 15 mm C.P. brass 2 in 1 bib cock of approved quality etc. complete as per the direction of Engineer-in-charge.	5	each		0.00
104	Supplying unplasticised PVC hot mixer connection pipes with brass unions: a) 15 mm nominal bore 60 cm to 1 m length	10	each		0.00
105	Supplying C.P. brass pillar cock of Jaquar ESSCO SQT-CHR-507KN : a) 15 mm nominal bore	5	each		0.00
106	Rebate and discount by agency for taking Out dismantled wooden panelled door shutters.	-4	each		0.00
107	Rebate and discount by the agency for taking out dismantled PVC flushing cistern etc.	-40	each		0.00
108	Rebate and discount by the agency for taking out dismantled G.I. pipe.	-10	metre		0.00
109	Rebate and discount by the agency for taking out dismantled brass/C.P. brass bib cock/stop cock/pillar cock/wheel valve or patti valve etc.	-120	each		0.00
110	Rebate and discount by the agency for taking out dismantled PVC waste pipe/connection pipe etc.	-120	each		0.00
111	Rebate and discount by agency for taking away dismantled C.P. brass mixer etc.	-5	each		0.00
112	Supplying Jaquar ARI-CHR-39021 pillar cock 140 mm tall	2	each		0.00
113	Supplying new magnum urinal spreaders E8095	4	each		0.00
114	Supplying Jaquar FLS-WHT-5103UF seat cover	6	each		0.00
115	Supplying Spindle for 107KN long body bib cock	10	each		0.00
116	Supplying Jaquar flush valve internal arrangement like spring, knob etc.	4	each		0.00

117	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
117.1	For fixed portion				
117.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	10	kg		0.00
117.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
117.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	6	kg		0.00
118	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
118.1	With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	2	sqm		0.00
118.2	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	2	sqm		0.00
119	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer- in-charge.				
119.1	With stainless steel cover plate minimum 1.25 mm thickness	4	each		0.00
120	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				

120.1	Upto 5 mm depth and 5 mm width	50	metre		0.00
121	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm ² , modulus of elasticity 850 N/mm ² and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In-Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately)				
121.1	30 mm thick	5	sqm		0.00
122	Providing services of labour for attending maintenance and other civil works as and when required including cost of tools & plants as required but excluding the materials etc. complete as per direction of Engineer-in-charge. a) Skilled labour like Carpenter/Plumber/Mason/Clerk/Supervisor etc	160	each		0.00
123	Providing services of labour for attending maintenance and other civil works as and when required including cost of tools & plants as required but excluding the materials etc. complete as per direction of Engineer-in-charge. a) Unskilled labour like Beldar/Coolie etc.	160	each		0.00
124	Providing services of Supervisor for executing the daily complaints as per complaint register or by note through Plumber/Carpenter/Labour or as assigned by the Engineer-in-charge all etc.complete,as per the direction of Engineer-in-charge.	80	each		0.00
125	Engaging JCB machine for levelling and dressing of the ground, removing of garbage etc. as per requirement of FTII authority etc. complete as per the direction of Engineer-in-charge.	2	day		0.00
	Total Amount				0.00